

Product Spec					
Category	LED Temporary Work Light				
Item Code	4555				
Stock Code	LED60TL/FR66/850	PICTURE			
Mounting	Bracket				
Housing Color	Yellow+Silver+Frosted Lens				

Electric (Characteristics	Photometric Ch	aracteristics		
Rated Wattage (W)	60	Lumen (lm)	6600		
Tested Wattage (W)	60	Efficacy (lm/w)	110		
Input Voltage (V)	100~277	CRI	>80		
Voltage Frequency (Hz)	50/60	сст (к)	5000		
Input Current (A)	0.513	Beam Angle (∘)	320		
Power Factor	>0.9	General Characteristics			
Replacement Wattage (W)	150W-175W	Operating Temperature	-40°F~113°F		
Surge protect level	6000V	Storage Temperature	-40°F~140°F		
Dimmable	No	IP rating	IP64		
THD	<20%	Rated Life	50000 hrs		
		Warranty	5 years		
•					
Product Dimensions		Suggested A	Accesory		
Weight (lbs.)	3.75				
Height (in)	12.09				
Length (in)					
Width (in)	6.93				
Mounting Height (ft)					
Cable Length (ft)	15ft				
	Oua	lifications			
UL/ETL	UL	LM79			
Energy Star	-	LM80	√		
DLC	-	IES File	٧		
CEC		FDA			
		NEMA			
A8		Dimmer List			
	V	Diffine Eise			
JA8 FCC RoHS	√ √	Diminer East			



ORDER INSPECTION FORM

Project start date	
Project finish date	
Sign-off by	
Category: Indoor Fix	

Product Name:				Category: Indoor Fix	ture	Outdoor Fixture
Item #				Lamp Dth	er:	<u> </u>
Product Summary			New Product		Update Product	
Product Summary				Target Production Date		
		PROD	UCT TARGI	ET SPEC	1	
Lumens (lm)				Watt (W)		
Lumens/Watt(lm/w)				ССТ (К)		
type)				CRI		
DLC version				DLC Category		
Energy Star version				Energy Star Category		
Input Voltage (V)				Input Current (A)		
Power Factor				THD		
Dimmable				Operating Temperature		
Warranty				Lumen Maintenance		
IP rating				Rated Life		
Surge Protection				LED chip		
Special Request				Driver		
	J	REQUIRED C	ERTIFICAT	ION/REPORTS		
LM-79		LM-80		TM-21		In-Situ (ISTMT
UL (US/Canada)	_	ETL(US/Canada)		RoHS		FCC
Energy Star		DLC		CEC		JA8
IES		Dark Sky		FDA	П	
Comments:			I ·			
		REQUIRED MA	ATERIAL SI	PEC (FACTORY)		
Body Material				Body Color		
Lens Material				Lens Color		
Package Size			Vibration and Drop Test			
Target Accesory			•			
DATE			MODI	FICATION TO SPEC		



ACCESSORIES				
Included in Package		Included in Package		
Purchase Separately		Purchase separately		
Name:		Name:		
Item Code:		Item Code:		
Image:		Image:		
Included in Package		Included in Pac	ckage	
Purchase Separately		Purchase sepa	rately	
Name:		Name:		
Item Code:		Item Code:		
Image:		Image:		
Included in Package		Included in Pac		<u></u>
Purchase Separately		Purchase sepa	rately	
Name:		Name:		
Item Code:		Item Code:		
Image:		Image:		
Included in Package		Included in Pa	ckage	
Purchase Separately		Purchase sepa	rately	
Name:		Name:		
Item Code:		Item Code:		
Image:		Image:		