SATCO | NUVO



LED | FILAMENT LAMPS

Table of Contents

Filament Reminiscent ..... 4 - 5
Filament (A-Type) ..... 6 - 11
Filament (Decorative) ..... 12 – 29
Filament (Specialty) ..... 30 - 41

60 YEARS IN BUSINESS

100% INDEPENDENT PRIVATELY OWNED

18,000 + PRODUCTS

2 MILLION SQ. FT OF INVENTORY

6 WAREHOUSE LOCATIONS

SATCO® is your single source solution for all of your lighting needs. From emerging LED technologies to decorative fixtures and lighting components, we carry products for nearly every industry and application to our customers. Independent and privately owned for 60 years, SATCO continues to grow because of our traditional values: trust, quality, loyalty and hard work. Agile in practice, unwavering in customer focus...

...we deliver on product, promise & partnership.

SATCO® has two lines of product to help you meet California's Building and Appliance codes:

Building Code (Title 24): The full line of Icon Approved & LWD lamps are certified to the Title 24 2025 building code. These products will help you comply with the newest California residential building codes.

Appliance Code (Title 20): Lamps and Retrofit kits are considered appliances in the California Code, and Title 20 is one of the most stringent in the country. Satco has a full line of products that are compliant with this code.

As an ongoing effort on behalf of Satco Products, Inc. to remain dedicated to the improvement of our products, we reserve the right to change specifications. The information contained in this specification guide is subject to change without notice. We cannot be responsible for typographical errors.

© Satco Products, Inc. All rights reserved.

REMINISCENT™
GRAY LED FILAMENT LAMPS

Features:
- Elegant gray filament
- Ultra-clear glass bulb
- Excellent color rendering

REMINISCENT™
GRAY LED FILAMENT LAMPS

Item	Description	Lamp Shape	Filament Style	Base	Qty	W	Incandescent Replacement Wattage	Watts (W)	Pack
Boxed									
S11520		ST19	Clear	E26	5/CS	4	40W	5.5	24/CS
S11527		ST19	Loop	E26	5/CS	4	40W	5.5	24/CS
S11521		A19	Clear	E26	5/CS	4	40W	4.7	24/CS
S11523		A19	Clear	E12	5/CS	4	40W	5.5W	24/CS
S11526		CA11	Clear	E12	5/CS	4	40W	4.5W	24/CS
S11522		G25	Clear	E26	5/CS	4	60W	6.7W	24/CS
S11528		G25	Loop	E26	5/CS	4	60W	6.7W	24/CS
S11524		T9	Clear	E26	5/CS	4	40W	5.5W	24/CS
S11525		T9	Straight	E26	5/CS	4	40W	5.5W	24/CS
Carton									
S11520C		ST19	Clear	E26	5/CS	4	40W	5.5	24/CS
S11527C		ST19	Loop	E26	5/CS	4	40W	5.5	24/CS
S11521C		A19	Clear	E26	5/CS	4	40W	4.7	24/CS
S11523C		A19	Clear	E12	5/CS	4	40W	5.5W	24/CS
S11526C		CA11	Clear	E12	5/CS	4	40W	4.5W	24/CS
S11522C		G25	Clear	E26	5/CS	4	60W	6.7W	24/CS

© Satco Products, Inc. All rights reserved.

LED A15, A19
FILAMENT LAMPS



Features:

- 90 CRI
- 40-100W replacements
- High lumens & efficiency
- Clear and soft white options
- 4 CCT options
- Approved for enclosed fixtures*
- Dimmable
- Long life



LED A15 FILAMENT LAMPS
40W, 60W REPLACEMENTS

A15/E12

A15 FR

A15 5W

A15 CL



Beam Angle: 320°

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MBD (in.)	Life (hrs.)	UPC	Pack
40 Watt Replacement														
S12438		5	120	A15	E26	CL	2700K	450	90	2.75	1.89	15K		24/6
S12439		5	120	A15	E26	CL	3000K	450	90	2.75	1.89	15K		24/6
S12440		5	120	A15	E26	CL	4000K	450	90	2.75	1.89	15K		24/6
S12441		5	120	A15	E26	CL	5000K	450	90	2.75	1.89	15K		24/6
S12458		5	120	A15	E26	NW	2700K	450	90	2.75	1.89	15K		24/6
S12459		5	120	A15	E26	NW	3000K	450	90	2.75	1.89	15K		24/6
S12460		5	120	A15	E26	NW	4000K	450	90	2.75	1.89	15K		24/6
S12461		5	120	A15	E26	NW	5000K	450	90	2.75	1.89	15K		24/6
40 Watt Replacement-Corded														
S12477		5.5	120	A15	E26	CL	2700K	450	90	3.41	1.89	15K		24/12
S12478		5.5	120	A15	E26	CL	3000K	450	90	3.41	1.89	15K		24/12
S12479		5.5	120	A15	E26	CL	4000K	450	90	3.41	1.89	15K		24/12
S12480		5.5	120	A15	E26	NW	4000K	450	90	3.41	1.89	15K		24/12
60 Watt Replacement														
S12436		8.2	120	A15	E26	CL	2700K	800	90	3.75	1.89	15K		24/6
S12437		8.2	120	A15	E26	NW	3000K	800	90	3.28	1.89	15K		24/6

© Satco Products, Inc. All rights reserved.

90 CRI LED
A19 FILAMENT LAMPS
40W, 60W
REPLACEMENTS

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	Beam	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40W Replacement															
S39468		5	120	A19	E26	CL	2700K	450	90	330°	4.03	2.36	15K		24/8
S39469		5	120	A19	E26	CL	3000K	450	90	330°	4.03	2.36	15K		24/8
S39470		5	120	A19	E26	CL	3500K	450	90	330°	4.03	2.36	15K		24/8
S39471		5	120	A19	E26	CL	4000K	450	90	330°	4.03	2.36	15K		24/8
S39472		5	120	A19	E26	CL	5000K	450	90	330°	4.03	2.36	15K		24/8
S39478		5	120	A19	E26	SW	2700K	450	90	330°	4.03	2.36	15K		24/8
S39479		5	120	A19	E26	SW	3000K	450	90	330°	4.03	2.36	15K		24/8
Multi-Pack															
S39463		5	120	A19	E26	CL	2700K	450	90	360°	4.03	2.36	15K		12-4pk/8
S39465		5	120	A19	E26	CL	3000K	450	90	360°	4.03	2.36	15K		12-4pk/8

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	Beam	MOL (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
60 Watt Replacement															
S39457		8	120	A19	E26	NW	3500K	800	90	360°	4.84	2.77	15K		24/8
S39458		8	120	A19	E26	GLD	2700K	800	90	360°	4.84	2.77	15K		24/8
S39459		8	120	A19	E26	CL	2700K	800	90	330°	4.03	2.36	15K		24/8
S39474		8	120	A19	E26	CL	2700K	800	90	330°	4.03	2.36	15K		24/8
S39475		8	120	A19	E26	CL	3000K	800	90	330°	4.03	2.36	15K		24/8
S39476		8	120	A19	E26	CL	3500K	800	90	330°	4.03	2.36	15K		24/8
S39477		8	120	A19	E26	CL	4000K	800	90	330°	4.03	2.36	15K		24/8
S39478		8	120	A19	E26	CL	5000K	800	90	330°	4.03	2.36	15K		24/8
S39479		8.5	120	A19	E26	NW	2700K	800	90	330°	4.03	2.36	15K		24/8
S39480		8.5	120	A19	E26	NW	3000K	800	90	330°	4.03	2.36	15K		24/8
S39482		8	120	A19	E26	CL	3000K	800	90	330°	4.84	2.36	15K		24/8
S39483		8	120	A19	E26	NW	3500K	800	90	330°	4.84	2.36	15K		24/8
Multi-Pack															
S39462		8	120	A19	E26	CL	2700K	800	90	360°	4.03	2.36	15K		12-4pk/8
S39464		8	120	A19	E26	CL	3000K	800	90	360°	4.03	2.36	15K		12-4pk/8
S39466		8	120	A19	E26	NW	3500K	800	90	360°	4.03	2.36	15K		12-4pk/8
S39467		8	120	A19	E26	NW	3000K	800	90	360°	4.03	2.36	15K		12-4pk/8

*See warranty for details at www.satco.com. ** Silver crown at 180° beam angle. 134/148

Product sheet SA3810

90 CRI LED
A19 FILAMENT LAMPS
75W, 100W
REPLACEMENTS

A19 Silv

A19-CL

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	Beam	H01 (in.)	H00 Min	Life (hrs.)	UPC	Pack
75W Replacement															
S12432		10.5	120	A19	E26	CL	3000K	1050	90	320°	4.00	2.38	15k	045925124328	24/8
S12435		10.5	120	A19	E26	CL	4000K	1050	90	320°	4.00	2.38	15k	045925124359	24/8
S12434		10.5	120	A19	E26	CL	3500K	1050	90	320°	4.00	2.38	15k	045925124342	24/8
S12433		10.5	120	A19	E26	CL	3000K	1050	90	320°	4.00	2.38	15k	045925124335	24/8
S12436		10.5	120	A19	E26	CL	5000K	1050	90	320°	4.00	2.38	15k	045925124366	24/8
S12437		7	120	A19	E26	SLV	3000K	1050	90	320°	4.00	2.38	15k	045925124373	24/8
S12438		7	120	A19	E26	SLV	4000K	1050	90	320°	4.00	2.38	15k	045925124380	24/8
S12507*		7	120	A19	E26	CL	3000K	1050	90	320°	4.00	2.38	15k	045925125073	24/8
S12508*		7	120	A19	E26	CL	3500K	1050	90	320°	4.00	2.38	15k	045925125080	24/8
S12509*		7	120	A19	E26	CL	5000K	1050	90	320°	4.00	2.38	15k	045925125097	24/8
Multi-Pack															
S12435		10.5	120	A19	E26	CL	3000K	1050	90	320°	4.00	2.38	15k	045925124335	12-4pks
S12437		10.5	120	A19	E26	CL	5000K	1050	90	320°	4.00	2.38	15k	045925124373	12-4pks
S12439		7	120	A19	E26	SLV	3000K	1050	90	320°	4.00	2.38	15k	045925124389	12-4pks
S12439T		7	120	A19	E26	SLV	5000K	1050	90	320°	4.00	2.38	15k	045925124396	12-4pks

*See warranty for details at www.satco.com. †DLC Product Sheet S4/9888

A19 SW

A19 CL

A19 SLV


A19 GLD

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	Beam	H01 (in.)	H00 (in.)	Life (hrs.)	UPC	Pack
100W Replacement															
S12439		13	120	A19	E26	SLV	3000K	1600	90	360°	4.74	2.37	15k	045925124389	24/8
S12439T		13	120	A19	E26	SLV	5000K	1600	90	360°	4.74	2.37	15k	045925124396	24/8
S12439		12.5	120	A19	E26	CL	3000K	1600	90	320°	4.41	2.38	15k	045925124389	24/8
S12439		12.5	120	A19	E26	CL	3500K	1600	90	320°	4.41	2.38	15k	045925124396	24/8
S12439		12.5	120	A19	E26	CL	5000K	1600	90	320°	4.41	2.38	15k	045925124402	24/8
S12439		12.5	120	A19	E26	CL	3000K	1600	90	320°	4.41	2.38	15k	045925124419	24/8
S12439		12.5	120	A19	E26	CL	3500K	1600	90	320°	4.41	2.38	15k	045925124426	24/8
S12437T		13.5	120	A19	E26	SW	5000K	1600	90	320°	4.41	2.38	15k	045925124433	24/8
S12434		13.5	120	A19	E26	SW	3500K	1600	90	320°	4.41	2.38	15k	045925124440	24/8
S12435		13.5	120	A19	E26	SW	4000K	1600	90	320°	4.41	2.38	15k	045925124457	24/8
S12500*		14	120	A21	E26	CL	3000K	1600	90	320°	5.00	2.75	15k	045925125004	24/8
S12501*		14	120	A21	E26	CL	3500K	1600	90	320°	5.00	2.75	15k	045925125011	24/8
S12502*		14	120	A21	E26	SW	5000K	1600	90	320°	5.00	2.75	15k	045925125028	24/8
Multi-Pack															
S12440		12.5	120	A19	E26	CL	3000K	1600	90	320°	4.41	2.38	15k	045925124426	12-4pks
S12440		12.5	120	A19	E26	CL	3500K	1600	90	320°	4.41	2.38	15k	045925124433	12-4pks
S12440		12.5	120	A19	E26	CL	5000K	1600	90	320°	4.41	2.38	15k	045925124440	12-4pks
S12441		13.5	120	A19	E26	SW	3500K	1600	90	320°	4.41	2.38	15k	045925124457	12-4pks

*See warranty for details at www.satco.com. †DLC Product Sheet S4/9888

RESIDENTIAL AND COMMERCIAL HIGH LUMEN FILAMENT LAMPS

Features

- Replaces up to 200W incandescent
- Improved lumens per watt—higher efficiency
- LED filament and glass envelope construction
- Dimmable*
- Wet location
- T20 compliant*
- 2 year warranty

RESIDENTIAL AND COMMERCIAL HIGH LUMEN FILAMENT LAMPS

Item	Description	W	Bulb Shape	V	Base	Finish	CCT	Lm	CRI	Life (Hrs	Min. Qty. (pc.)	UPC	Pack
125 Watt Replacement													
S39444*		17	A21	120	E26	FR	3000	2000	90	15,000	12	045925396110	24/12
S39445*		17	A21	120	E26	FR	4000	2000	90	15,000	12	045925396127	24/12
S39446*		17	A21	120	E26	FR	5000	2000	90	15,000	12	045925396134	24/12
150 Watt Replacement													
S39447*		19.5	A21	120	E26	FR	3000	2600	90	15,000	12	045925396141	24/12
S39448*		19.5	A21	120	E26	FR	4000	2600	90	15,000	12	045925396158	24/12
S39449*		19.5	A21	120	E26	FR	5000	2600	90	15,000	12	045925396165	24/12
300 Watt Replacement													
S39450*		31	A23	120	E26	FR	3000	4000	90	15,000	6	045925396172	24/12
S39451*		31	A23	120	E26	FR	4000	4000	90	15,000	6	045925396189	24/12
S39452*		31	A23	120	E26	FR	5000	4000	90	15,000	6	045925396196	24/12

Product shown: S39448

© Satco Products Inc. All rights reserved.

LED FILAMENT LAMPS GLOBES - G16½

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures
- c-UL-us or c-ETL-us listed
- CEC T20
- 3 year warranty

G16½ WH E12 | G16½ CL E12 | G16½ CL E26 | G16½ WH E26

LED FILAMENT LAMPS GLOBES - G16½

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	H(L) (in.)	H(D) (in.)	L/N (pcs.)	UPC	Pack
25 Watt Replacement B13														
S21005		3	120	G16.5	B13	CL	2700K	300	90	3.9	1.97	10K	045925210056	24/5
S21017*		3	120	G16.5	B13	CL	5000K	300	90	3.9	1.97	10K	045925210179	24/5
S21009		3	120	G16.5	B13	CL	4000K	300	90	3.9	1.97	10K	045925210094	24/5
S21006		3	120	G16.5	B13	WW	2700K	300	90	3.9	1.97	10K	045925210063	24/5
S21008		3	120	G16.5	B13	WW	4000K	300	90	3.9	1.97	10K	045925210087	24/5
40 Watt Replacement B13														
S21004		4	120	G16.5	B13	CL	2700K	450	90	3.9	1.97	10K	045925210049	24/5
S21002		4	120	G16.5	B13	CL	3500K	450	90	3.9	1.97	10K	045925210025	24/5
S21017*		4	120	G16.5	B13	CL	5000K	450	90	3.9	1.97	10K	045925210179	24/5
S21003		4	120	G16.5	B13	CL	4000K	450	90	3.9	1.97	10K	045925210032	24/5
S21017*		4	120	G16.5	B13	CL	5000K	450	90	3.9	1.97	10K	045925210179	24/5
S21007		4.5	120	G16.5	B13	WW	2700K	450	90	3.9	1.97	10K	045925210070	24/5
S21M14*		4.5	120	G16.5	B13	WW	3500K	450	90	3.9	1.97	10K	045925210148	24/5
S21005		4.5	120	G16.5	B13	WW	4000K	450	90	3.9	1.97	10K	045925210025	24/5
40 Watt Replacement B13-Corded														
S21013		4	120	G16.5	B13	CL	2700K	450	90	3.9	1.97	10K	045925210131	24/5
S21011		4	120	G16.5	B13	CL	3500K	450	90	3.9	1.97	10K	045925210469	24/5
S21015		4	120	G16.5	B13	CL	5000K	450	90	3.9	1.97	10K	045925210155	24/5
S21012		4.5	120	G16.5	B13	WW	2700K	450	90	3.9	1.97	10K	045925210124	24/5
S21M76		4.5	120	G16.5	B13	WW	3000K	450	90	3.9	1.97	10K	045925210766	24/5
40 Watt Replacement E26														
S21029		4	120	G16.5	E26	CL	2700K	450	90	3.9	1.97	10K	045925210292	24/5
S21026		4	120	G16.5	E26	CL	3500K	450	90	3.9	1.97	10K	045925210261	24/5
S21047*		4	120	G16.5	E26	CL	5000K	450	90	3.9	1.97	10K	045925210476	24/5
S21027		4	120	G16.5	E26	CL	4000K	450	90	3.9	1.97	10K	045925210278	24/5
S21047*		4	120	G16.5	E26	CL	5000K	450	90	3.9	1.97	10K	045925210476	24/5
S21028		4.5	120	G16.5	E26	WW	2700K	450	90	3.9	1.97	10K	045925210285	24/5
S21030		4.5	120	G16.5	E26	WW	3000K	450	90	3.9	1.97	10K	045925210308	24/5
40 Watt Replacement E26-Corded														
S21031		4	120	G16.5	E26	CL	2700K	450	90	3.9	1.97	10K	045925210315	24/5
S21077		4	120	G16.5	E26	CL	5000K	450	90	3.9	1.97	10K	045925210773	24/5
S21032		4.5	120	G16.5	E26	WW	2700K	450	90	3.9	1.97	10K	045925210322	24/5
S21076		4.5	120	G16.5	E26	WW	3000K	450	90	3.9	1.97	10K	045925210766	24/5
60 Watt Replacement B13														
S21009		5.5	120	G16.5	B13	CL	2700K	700	90	3.9	1.97	10K	045925210094	24/5
S21030		5.5	120	G16.5	B13	CL	3500K	700	90	3.9	1.97	10K	045925210308	24/5
S21017*		5.5	120	G16.5	B13	CL	5000K	700	90	3.9	1.97	10K	045925210179	24/5
S21011		5.5	120	G16.5	B13	CL	4000K	700	90	3.9	1.97	10K	045925210117	24/5
S21019*		5.5	120	G16.5	B13	CL	5000K	700	90	3.9	1.97	10K	045925210193	24/5
S21008		5.5	120	G16.5	B13	WW	2700K	700	90	3.9	1.97	10K	045925210087	24/5
S21031		5.5	120	G16.5	B13	WW	3000K	700	90	3.9	1.97	10K	045925210315	24/5
S21014		5.5	120	G16.5	B13	WW	4000K	700	90	3.9	1.97	10K	045925210148	24/5
60 Watt Replacement B13-Corded														
S21011		5.5	120	G16.5	B13	CL	2700K	700	90	3.9	1.97	10K	045925210117	24/5
S21014		5.5	120	G16.5	B13	WW	2700K	700	90	3.9	1.97	10K	045925210148	24/5
90 Watt Replacement E26														
S21030		9.5	120	G16.5	E26	CL	2700K	1050	90	3.9	1.97	10K	045925210308	24/5
S21031		9.5	120	G16.5	E26	CL	3000K	1050	90	3.9	1.97	10K	045925210315	24/5
S21047*		9.5	120	G16.5	E26	CL	5000K	1050	90	3.9	1.97	10K	045925210476	24/5
S21032		9.5	120	G16.5	E26	CL	4000K	1050	90	3.9	1.97	10K	045925210322	24/5
S21046*		9.5	120	G16.5	E26	CL	5000K	1050	90	3.9	1.97	10K	045925210469	24/5
S21028		9.5	120	G16.5	E26	WW	2700K	1050	90	3.9	1.97	10K	045925210285	24/5
S21030		9.5	120	G16.5	E26	WW	3000K	1050	90	3.9	1.97	10K	045925210308	24/5
S21029		9.5	120	G16.5	E26	WW	4000K	1050	90	3.9	1.97	10K	045925210292	24/5

*See warranty for details at www.satco.com. †Full on-rated

Product sheet 5/21/22

© Satco Products Inc. All rights reserved.

LED FILAMENT LAMPS
GLOBES - G25 40W & 60W REPLACEMENTS

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures*
- c-UL-us or c-ETL-us listed
- CEC T20
- 3 year warranty



Item	Description	W	V	Bulb shape	Base	Finish	CCT	Lm	CRI	MSD (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
40 Watt Replacement														
52328		4.5	120	G25	E26	CL	2700K	350	90	4.45	5.15	15K		24/6
52327		4.5	120	G25	E26	CL	3000K	350	90	4.45	5.15	15K		24/6
52326		4.5	120	G25	E26	CL	3000K	350	90	4.45	5.15	15K		24/6
52325		4.5	120	G25	E26	CL	4000K	350	90	4.45	5.15	15K		24/6
52329		4.5	120	G25	E26	CL	5000K	350	90	4.45	5.15	15K		24/6
52330		4.5	120	G25	E26	WH	2700K	350	90	4.45	5.15	15K		24/6
52331		4.5	120	G25	E26	WH	3000K	350	90	4.45	5.15	15K		24/6
52332		4.5	120	G25	E26	WH	4000K	350	90	4.45	5.15	15K		24/6
52333		4.5	120	G25	E26	WH	5000K	350	90	4.45	5.15	15K		24/6
Multi-Pack														
52503		4.5	120	G25	E26	CL	2700K	350	90	4.45	5.15	15K		24/case
52341		4.5	120	G25	E26	CL	3000K	350	90	4.45	5.15	15K		24/Tpks
52344		4.5	120	G25	E26	WH	2700K	350	90	4.45	5.15	15K		24/Tpks
60 Watt Replacement														
52341		6.5	120	G25	E26	CL	2700K	600	90	4.33	5.15	15K		24/6
52342		9.5	120	G25	E26	CLD	2700K	800	90	4.33	5.15	15K		24/6
52340		9.5	120	G25	E26	CL	2700K	800	90	4.45	5.15	15K		24/6
52334		6	120	G25	E26	CL	2700K	600	90	4.45	5.15	15K		24/6
52335		6	120	G25	E26	CL	3000K	600	90	4.45	5.15	15K		24/6
52345		6	120	G25	E26	CL	3000K	600	90	4.45	5.15	15K		24/6
52336		6	120	G25	E26	CL	4000K	600	90	4.45	5.15	15K		24/6
52337		6	120	G25	E26	CL	5000K	600	90	4.45	5.15	15K		24/6
52338		6	120	G25	E26	WH	2700K	600	90	4.45	5.15	15K		24/6
52339		6	120	G25	E26	WH	3000K	600	90	4.45	5.15	15K		24/6
52346		6	120	G25	E26	WH	3000K	600	90	4.45	5.15	15K		24/6
52340		6	120	G25	E26	WH	4000K	600	90	4.45	5.15	15K		24/6
52341		6	120	G25	E26	WH	5000K	600	90	4.45	5.15	15K		24/6
Multi-Pack														
52340		6	120	G25	E26	CL	2700K	600	90	4.45	5.15	15K		24/Tpks
52346		6	120	G25	E26	CL	3000K	600	90	4.45	5.15	15K		24/Tpks
52347		6	120	G25	E26	WH	2700K	600	90	4.45	5.15	15K		24/Tpks

*See warranty for details on wet location listing. Damp Rated

LED FILAMENT LAMPS
GLOBES - G40 40W, 60W, & 100W REPLACEMENTS

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures*
- c-UL-us or c-ETL-us listed
- 3 year warranty



Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (ft.)	MOD (ft.)	Life (hrs.)	UPC	Pack
40 Watt Replacement														
5 rows														
60 Watt Replacement														
5 rows														
100 Watt Replacement														
5 rows														

* See warranty for details at www.satco.com

© SATCO Products, Inc. All rights reserved.

LED FILAMENT LAMPS
DECORATIVE - CANDELABRA BASE/TORPEDO SHAPE



Features:

- Filament style LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures*
- c-UL-us/c-ETL-us listed
- CEC T20*
- 3 year warranty

B11 Clear B11 Frost

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MSDC (L)	MSDC (H)	Life (hrs)	UPC	Pack
25 Watt Replacement														
S29362	3W LED B11 CL 120V E12	3	120	B11	E12	CL	2700K	200	80	0.87	1.39	15K	045925293628	24/6
S29367	3W LED B11 CL 120V E12	3	120	B11	E12	CL	5000K	200	80	0.87	1.39	15K	045925293673	24/6
S29363	3W LED B11 FR 120V E12	3	120	B11	E12	FR	2700K	200	80	0.87	1.39	15K	045925293635	24/6
S29368	3W LED B11 FR 120V E12	3	120	B11	E12	FR	5000K	200	80	0.87	1.39	15K	045925293680	24/6
25 Watt Replacement E12 Candle														
S29367	3W LED B11 CL 120V E12	3	120	B11	E12	CL	2700K	200	80	0.87	1.39	15K	045925293673	24/6
S29364	3W LED B11 FR 120V E12/CD	3	120	B11	E12	FR	2700K	200	80	0.87	1.39	15K	045925293642	24/6
40 Watt Replacement														
S29364	4W LED B11 CL 120V E12	4	120	B11	E12	CL	2700K	350	80	0.87	1.39	15K	045925293680	24/6
S29365	4W LED B11 CL 120V E12	4	120	B11	E12	CL	5000K	350	80	0.87	1.39	15K	045925293697	24/6
S29366	4W LED B11 FR 120V E12	4	120	B11	E12	FR	2700K	350	80	0.87	1.39	15K	045925293703	24/6
S29367	4W LED B11 FR 120V E12	4	120	B11	E12	FR	5000K	350	80	0.87	1.39	15K	045925293710	24/6

Continued next page

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MDL (in.)	PDT (in.)	Life (hrs.)	UPC	Pack
60 Watt Replacement (cont.)														
S29388		9	GU	A19	E26	CL	3000K	800	90	3.50"	1.25	15K	045925293884	24/6
S29389		9	GU	A19	E26	FR	2700K	800	90	3.50"	1.25	15K	045925293891	24/6
S29390		9	GU	A19	E26	FR	3000K	800	90	3.50"	1.25	15K	045925293907	24/6
S29391		9	GU	A19	E26	FR	4000K	800	90	3.50"	1.25	15K	045925293914	24/6
S29392		9	GU	A19	E26	FR	5000K	800	90	3.50"	1.25	15K	045925293921	24/6
S29393		9	GU	A19	E26	FR	6500K	800	90	3.50"	1.25	15K	045925293938	24/6
S29397		9	GU	A19	E26	FR	2700K	800	90	3.50"	1.25	15K	045925293976	24/6
40 Watt Multi-Pack Box														
S29384		4	GU	A19	E26	CL	2700K	350	90	3.50"	1.25	15K	045925293846	24/4pk
S29385		4	GU	A19	E26	CL	3000K	350	90	3.50"	1.25	15K	045925293853	24/4pk
S29386		4	GU	A19	E26	CL	4000K	350	90	3.50"	1.25	15K	045925293860	24/4
S29387		4	GU	A19	E26	CL	5000K	350	90	3.50"	1.25	15K	045925293877	24/4
40 Watt Replacement E26														
S29376		4.5	GU	A19	E26	CL	2700K	450	90	3.50"	1.25	15K	045925293761	24/6
S29377		4.5	GU	A19	E26	CL	3000K	450	90	3.50"	1.25	15K	045925293778	24/6
S29378		4.5	GU	A19	E26	CL	4000K	450	90	3.50"	1.25	15K	045925293785	24/6
S29379		4.5	GU	A19	E26	CL	5000K	450	90	3.50"	1.25	15K	045925293792	24/6
40 Watt Replacement E26 Corded														
S29369		4	GU	A19	E26	CL	2700K	350	90	3.50"	1.25	15K	045925293693	24/12
S29370		4	GU	A19	E26	CL	3000K	350	90	3.50"	1.25	15K	045925293709	24/12
S29371		4	GU	A19	E26	CL	4000K	350	90	3.50"	1.25	15K	045925293716	24/12
S29372		4	GU	A19	E26	CL	5000K	350	90	3.50"	1.25	15K	045925293723	24/12
S29373		4	GU	A19	E26	FR	2700K	350	90	3.50"	1.25	15K	045925293730	24/12
S29374		4	GU	A19	E26	FR	3000K	350	90	3.50"	1.25	15K	045925293747	24/12
S29375		4	GU	A19	E26	FR	4000K	350	90	3.50"	1.25	15K	045925293754	24/12
60 Watt Replacement														
S29380		9	GU	A19	E26	CL	2700K	800	90	3.50"	1.25	15K	045925293808	24/6
S29381		9	GU	A19	E26	CL	3000K	800	90	3.50"	1.25	15K	045925293815	24/6
S29382		9	GU	A19	E26	CL	4000K	800	90	3.50"	1.25	15K	045925293822	24/6
S29383		9	GU	A19	E26	CL	5000K	800	90	3.50"	1.25	15K	045925293839	24/6
S29394		9	GU	A19	E26	FR	2700K	800	90	3.50"	1.25	15K	045925293945	24/6
S29395		9	GU	A19	E26	FR	3000K	800	90	3.50"	1.25	15K	045925293952	24/6
S29396		9	GU	A19	E26	FR	4000K	800	90	3.50"	1.25	15K	045925293969	24/6
S29398		9	GU	A19	E26	FR	5000K	800	90	3.50"	1.25	15K	045925293983	24/6
60 Watt Replacement Multi-Pack Box														
S29404		9	GU	A19	E26	CL	2700K	800	90	3.50"	1.25	15K	045925294041	12/4
S29405		9	GU	A19	E26	CL	3000K	800	90	3.50"	1.25	15K	045925294058	12/4
60 Watt Replacement E12-Corded														
S29399		9	GU	A19	E26	CL	2700K	800	90	3.50"	1.25	15K	045925293990	24/6
S29400		9	GU	A19	E26	CL	3000K	800	90	3.50"	1.25	15K	045925294003	24/6
S29401		9	GU	A19	E26	CL	4000K	800	90	3.50"	1.25	15K	045925294010	24/6
S29402		9	GU	A19	E26	FR	2700K	800	90	3.50"	1.25	15K	045925294027	24/6
S29403		9	GU	A19	E26	FR	3000K	800	90	3.50"	1.25	15K	045925294034	24/6
75 Watt Replacement														
S11343		9	GU	A19	E26	CL	2700K	950	90	3.50"	1.25	15K	045925119432	24/6
S11345		9	GU	A19	E26	CL	3000K	950	90	3.50"	1.25	15K	045925119456	24/6
S12436		9	GU	A19	E26	CL	3500K	950	90	3.50"	1.25	15K	045925124368	24/6
S11344		9	GU	A19	E26	CL	4000K	950	90	3.50"	1.25	15K	045925119449	24/6
S11345		9	GU	A19	E26	CL	5000K	950	90	3.50"	1.25	15K	045925119456	24/6
S11346		9	GU	A19	E26	FR	2700K	950	90	3.50"	1.25	15K	045925119463	24/6
S11348		9	GU	A19	E26	FR	3000K	950	90	3.50"	1.25	15K	045925119487	24/6
S12437		9	GU	A19	E26	FR	4000K	950	90	3.50"	1.25	15K	045925124375	24/6
S12438		9	GU	A19	E26	FR	5000K	950	90	3.50"	1.25	15K	045925124382	24/6

See warranty for details at www.satco.com

Product sheet S29383

© Satco Products Inc. All rights reserved.

LED CANDELABRA DUSK-TO-DAWN

Features:

- Built-in photocell sensor ensures that these bulbs automatically turn on at dusk and off at dawn, making them energy efficient and low maintenance
- Enhance safety and security with lights that turn ON only when it's dark enough to be needed
- Clear gloss bulb with internal filaments for a classic look with updated energy savings
- Available in 2700K and 5000K CCT options for warm or natural illumination, improving safety and ambiance

LED CANDELABRA
DUSK-TO-DAWN

Item	Description	W	V	Bulb Shape	Base	CCT	Lm	H(L (in.)	W(D (in.)	Life/ Hrs.	UPC	Pack
60 Watt Replacement												
S11477		5	120	B11	E12	2700K	800	4 1/2	1 3/8	15,000		48/12
S11478		5	120	B11	E12	5000K	800	4 1/2	1 3/8	15,000		48/12

Product sheet S11477

© Satco Products Inc. All rights reserved.

LED FILAMENT LAMPS
DECORATIVE - MEDIUM BASE/TORPEDO



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures*
- c-UL-us/c-ETL-us listed
- CEC T20
- 3 year warranty

LED FILAMENT LAMPS
DECORATIVE - MEDIUM BASE/TORPEDO



Beam Angle: 300°

B11 Clear

B11 Frost

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MSRP ($)	PKG ($)	Lm/W (min)	UPC	Pack
25 Watt Replacement														
S21882	3W LED B11/CL/927/E26	3	120	B11	E26	CL	2700K	250	90	3.98	3.98	104	045925218826	25/6
S21456	3W LED B11/CL/835/E26	3	120	B11	E26	CL	3500K	250	90	3.98	3.98	104	045925214569	25/6
S21881	3W LED B11/CL/827/E26	3	120	B11	E26	CL	2700K	250	90	3.98	3.98	104	045925218819	25/6
25 Watt Replacement E26-Candle														
S21932	3W LED B11/CL/927/E26/CD	3	120	B11	E26	CL	2700K	250	90	3.98	3.98	104	045925219328	25/6
S21931	3W LED B11/CL/835/E26/CD	3	120	B11	E26	CL	3500K	250	90	3.98	3.98	104	045925219311	25/6
40 Watt Replacement														
S21884	4W LED B11/CL/927/E26	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925218840	25/6
S21883	4W LED B11/CL/835/E26	4	120	B11	E26	CL	3500K	350	90	3.98	3.98	104	045925218833	25/6
S21933	4W LED B11/CL/827/E26	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925219335	25/6
S21298	4W LED B11/CL/835/E26	4	120	B11	E26	CL	3500K	350	90	3.98	3.98	104	045925212985	25/6
S21931	4W LED B11/CL/827/E26	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925219311	25/6
S21297	4W LED B11/CL/927/E26	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925212978	25/6
S21299	4W LED B11/CL/835/E26	4	120	B11	E26	CL	3500K	350	90	3.98	3.98	104	045925212992	25/6
S21298	4W LED B11/CL/827/E26	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925212985	25/6
S21884	4W LED B11/CL/927/E26	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925218840	25/6
S21883	4W LED B11/CL/835/E26	4	120	B11	E26	CL	3500K	350	90	3.98	3.98	104	045925218833	25/6
40 Watt Replacement-Candle														
S21879	4W LED B11/CL/927/E26/CD	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925218796	25/6
S21845	4W LED B11/CL/835/E26/CD	4	120	B11	E26	CL	3500K	350	90	3.98	3.98	104	045925218451	25/6
S21874	4W LED B11/CL/927/E26/CD	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925218741	25/6
S21875	4W LED B11/CL/835/E26/CD	4	120	B11	E26	CL	3500K	350	90	3.98	3.98	104	045925218758	25/6
S21876	4W LED B11/CL/827/E26/CD	4	120	B11	E26	CL	2700K	350	90	3.98	3.98	104	045925218765	25/6
60 Watt Replacement														
S21878	5.5W LED B11/CL/927/E26	5.5	120	B11	E26	CL	2700K	550	90	3.98	3.98	100	045925218789	25/6
S21877	5.5W LED B11/CL/835/E26	5.5	120	B11	E26	CL	3500K	550	90	3.98	3.98	100	045925218772	25/6
S21852	5.5W LED B11/CL/827/E26	5.5	120	B11	E26	CL	2700K	550	90	3.98	3.98	100	045925218529	25/6
S21851	5.5W LED B11/CL/835/E26	5.5	120	B11	E26	CL	3500K	550	90	3.98	3.98	100	045925218512	25/6
S21004	5.5W LED B11/CL/827/E26	5.5	120	B11	E26	CL	2700K	550	90	3.98	3.98	100	045925210042	25/6
S21005	5.5W LED B11/CL/835/E26	5.5	120	B11	E26	CL	3500K	550	90	3.98	3.98	100	045925210059	25/6
S21006	5.5W LED B11/CL/827/E26/CD	5.5	120	B11	E26	CL	2700K	550	90	3.98	3.98	100	045925210066	25/6
60 Watt Replacement-Candle														
S21937	5.5W LED B11/CL/927/E26/CD	5.5	120	B11	E26	CL	2700K	550	90	3.98	3.98	100	045925219373	25/6
S21881	5.5W LED B11/CL/835/E26/CD	5.5	120	B11	E26	CL	3500K	550	90	3.98	3.98	100	045925219311	25/6
S21938	5.5W LED B11/CL/827/E26/CD	5.5	120	B11	E26	CL	2700K	550	90	3.98	3.98	100	045925219380	25/6
S21882	5.5W LED B11/CL/835/E26/CD	5.5	120	B11	E26	CL	3500K	550	90	3.98	3.98	100	045925219382	25/6

© Satco Products Inc. All rights reserved.

LED FILAMENT LAMPS
PRISMATIC CHANDELIER & DECORATIVE-FLAME TIP



Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp and wet location
- Approved for totally enclosed fixtures*
- c-ETL-us or cULus listed
- 3 year warranty

LED FILAMENT LAMPS
PRISMATIC CHANDELIER & DECORATIVE-FLAME TIP

Item	Description	W	#	Nom Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOP (in.)	Life (hrs.)	UPC	Pack
35 Watt Replacement														
321084		3	120	CA10	E12	CL	2700K	300	80	4.72	1.26	15K		24/CS
312085		3	120	CA10	E12	CL	3000K	300	80	4.72	1.26	15K		24/CS
321086		3	120	CA10	E12	FR	2700K	300	80	4.72	1.26	15K		24/CS
25 Watt Replacement														
312143		2	120	P21	E26	CL	2700K	300	80	4.72	1.26	15K		24/CS
312141		2	120	P21	E26	FR	2700K	300	80	4.72	1.26	15K		24/CS
312142		2	120	P21	E26	AU	2700K	300	80	4.72	1.26	15K		24/CS
321034		3	120	CA10	E26	CL	2700K	300	80	4.72	1.26	15K		24/CS
40 Watt Replacement														
321095		4	120	CA10	E12	CL	2700K	350	80	4.72	1.26	15K		24/CS
321097		4	120	CA10	E12	CL	3000K	350	80	4.72	1.26	15K		24/CS
312096		4	120	CA10	E12	CL	3000K	350	80	4.72	1.26	15K		24/CS
321098		4	120	CA10	E12	CL	4000K	350	80	4.72	1.26	15K		24/CS
321099		4	120	CA10	E12	FR	2700K	350	80	4.72	1.26	15K		24/CS
321100		4	120	CA10	E12	FR	3000K	350	80	4.72	1.26	15K		24/CS
321101		4	120	CA10	E12	FR	4000K	350	80	4.72	1.26	15K		24/CS
40 Watt Replacement-Carded														
321942		4	120	CA10	E12	CL	2700K	350	80	4.72	1.26	15K		24/CS
321941		4	120	CA10	E12	CL	3000K	350	80	4.72	1.26	15K		24/CS
321943		4	120	CA10	E12	CL	4000K	350	80	4.72	1.26	15K		24/CS
321940		4	120	CA10	E12	FR	2700K	350	80	4.72	1.26	15K		24/CS
321944		4	120	CA10	E12	FR	3000K	350	80	4.72	1.26	15K		24/CS
321945		4	120	CA10	E12	FR	4000K	350	80	4.72	1.26	15K		24/CS
60 Watt Replacement														
321004		5.5	120	CA10	E12	CL	2700K	500	80	4.72	1.26	15K		24/CS
321005		5.5	120	CA10	E12	CL	3000K	500	80	4.72	1.26	15K		24/CS
312006		5.5	120	CA10	E12	CL	4000K	500	80	4.72	1.26	15K		24/CS
321007		5.5	120	CA10	E12	FR	2700K	500	80	4.72	1.26	15K		24/CS
321008		5.5	120	CA10	E12	FR	3000K	500	80	4.72	1.26	15K		24/CS
321009		5.5	120	CA10	E12	FR	4000K	500	80	4.72	1.26	15K		24/CS
60 Watt Replacement-Carded														
321946		5.5	120	CA10	E12	CL	2700K	500	80	4.72	1.26	15K		24/CS
321948		5.5	120	CA10	E12	CL	3000K	500	80	4.72	1.26	15K		24/CS
321947		5.5	120	CA10	E12	FR	2700K	500	80	4.72	1.26	15K		24/CS
321949		5.5	120	CA10	E12	FR	3000K	500	80	4.72	1.26	15K		24/CS

© Satco Products Inc. All rights reserved.

LED FILAMENT LAMPS
DECORATIVE - MEDIUM BASE FLAME TIP

Features

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures*
- 3 year warranty

LED FILAMENT LAMPS
DECORATIVE - MEDIUM BASE FLAME TIP

CA11 E26 Clear

CA11 E26 Frost

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MSC (in.)	MOD (in.)	Life (hrs.)	UPC	Pack
25 Watt Replacement														
[illegible]	[illegible]	3	120	CA11	E26	CL	2700K	250	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	3	120	CA11	E26	CL	3000K	250	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	3	120	CA11	E26	FR	2700K	250	90	4.33	1.38	15K	[illegible]	24/8
25 Watt Replacement-Candle														
[illegible]	[illegible]	3	120	CA11	E26	CL	2700K	250	90	4.33	1.38	15K	[illegible]	24/12
40 Watt Replacement														
[illegible]	[illegible]	4	120	CA11	E26	CL	2700K	350	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	4	120	CA11	E26	CL	3000K	350	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	4	120	CA11	E26	FR	2700K	350	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	4	120	CA11	E26	CL	3000K	350	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	4	120	CA11	E26	CL	2700K	350	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	4	120	CA11	E26	FR	3000K	350	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	4	120	CA11	E26	FR	2700K	350	90	4.33	1.38	15K	[illegible]	24/8
40 Watt Replacement-Candle														
[illegible]	[illegible]	4	120	CA11	E26	CL	2700K	350	90	4.33	1.38	15K	[illegible]	24/12
[illegible]	[illegible]	4	120	CA11	E26	CL	3000K	350	90	4.33	1.38	15K	[illegible]	24/12
[illegible]	[illegible]	4	120	CA11	E26	CL	4000K	350	90	4.33	1.38	15K	[illegible]	24/12
[illegible]	[illegible]	4	120	CA11	E26	FR	2700K	350	90	4.33	1.38	15K	[illegible]	24/12
[illegible]	[illegible]	4	120	CA11	E26	FR	4000K	350	90	4.33	1.38	15K	[illegible]	24/12
60 Watt Replacement														
[illegible]	[illegible]	7.5	120	CA11	E26	CL	2700K	600	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	7.5	120	CA11	E26	CL	3000K	600	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	7.5	120	CA11	E26	CL	4000K	600	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	7.5	120	CA11	E26	FR	2700K	600	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	7.5	120	CA11	E26	FR	3000K	600	90	4.33	1.38	15K	[illegible]	24/8
[illegible]	[illegible]	7.5	120	CA11	E26	FR	4000K	600	90	4.33	1.38	15K	[illegible]	24/8
60 Watt Replacement-Candle														
[illegible]	[illegible]	7.5	120	CA11	E26	CL	2700K	600	90	4.33	1.38	15K	[illegible]	24/12
[illegible]	[illegible]	7.5	120	CA11	E26	CL	3000K	600	90	4.33	1.38	15K	[illegible]	24/12
[illegible]	[illegible]	7.5	120	CA11	E26	FR	2700K	600	90	4.33	1.38	15K	[illegible]	24/12
[illegible]	[illegible]	7.5	120	CA11	E26	FR	4000K	600	90	4.33	1.38	15K	[illegible]	24/12

*See website for details. © www.satco.com

Product sheet SAT/PC

© Satco Products Inc. All rights reserved.

SATCO-ESCENT®
LED LAMPS

Features:

- 2 watt LED direct replacement for 25 watt incandescent lamps
- 4 watt LED direct replacement for 40 watt incandescent lamps
- Unique satin-spun white or amber finish
- Dimmable
- Carded versions for peg board merchandising
- LED filament technology
- Approved for totally enclosed fixtures*
- Long life—15,000 hours
- 3 year warranty



SATCO-ESCENT®
LED LAMPS

Satin Finish

S23403
S23703

S11300, S11302
S11304, S11306



S23413
S23713

Amber Finish

S23407
S23707

S11301, S11303
S11305, S11307

S23412
S23712



300° Illumination

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MSC (Hz)	MSD (ms)	Life (Hrs.)	UPC	Pack
Round														
S11306		2	120	CA11	E12	Satin	2700K	200	80	120	1.0k	15k		25/CS
S11301		2	120	CA11	E12	Amber	2200K	100	80	120	1.0k	15k		25/CS
S11302		4	120	CA11	E12	Satin	2700K	350	80	120	1.0k	15k		25/CS
S11303		4	120	CA11	E12	Amber	2200K	200	80	120	1.0k	15k		25/CS
S23403		2	120	CT1	E26	Satin	2700K	120	80	120	1.0k	15k		25/CS
S23407		2	120	CT1	E26	Amber	2200K	100	80	120	1.0k	15k		25/CS
S23413		4	120	CT1	E26	Satin	2700K	350	80	120	1.0k	15k		25/CS
S23412		4	120	CT1	E26	Amber	2200K	200	80	120	1.0k	15k		25/CS
Candle														
S11304		2	120	CA11	E12	Satin	2700K	200	80	120	1.0k	15k		25/CS
S11305		2	120	CA11	E12	Amber	2200K	100	80	120	1.0k	15k		25/CS
S11306		4	120	CA11	E12	Satin	2700K	350	80	120	1.0k	15k		25/CS
S11307		4	120	CA11	E12	Amber	2200K	200	80	120	1.0k	15k		25/CS
S23703		2	120	CT1	E26	Satin	2700K	120	80	120	1.0k	15k		25/CS
S23707		2	120	CT1	E26	Amber	2200K	100	80	120	1.0k	15k		25/CS
S23713		4	120	CT1	E26	Satin	2700K	350	80	120	1.0k	15k		25/CS
S23712		4	120	CT1	E26	Amber	2200K	200	80	120	1.0k	15k		25/CS

*See warranty for details at www.satco.com

*Product shown S23707

© Satco Products, Inc. All rights reserved.

SATCO-ESCENT®
DECORATIVE LAMPS

Features

- Satin spun finish reduces glare
- Decorative soft glowing light
- 360° omni-directional light
- Unique bulb shape

SATCO-ESCENT®
DECORATIVE LAMPS

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	H(L) (in.)	H(D) (in.)	Life (Hrs.)	UPC	Pack
S11552	[illegible]	7	120	ST19	E26	SPUN TYN	2200K	400	80	6.06	2.36	15k	[illegible]	24/9
S11553	[illegible]	7	120	ST19	E26	SPUN TYN	2700K	450	82	6.06	2.36	15k	[illegible]	24/9
S11554	[illegible]	7	120	ST19	E26	SPUN TYN	3000K	450	82	6.06	2.36	15k	[illegible]	24/9

Satco warranty: For details, go to www.satco.com

Product sheet 2022R

© Satco Products, Inc. All rights reserved.

LED FILAMENT SPECIALTY LAMPS



C7 E12

BT15 E26

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet or damp location
- Approved for totally enclosed fixtures*
- c-ETL-us listed or CEC T20*
- 3 year warranty





T6 E17

Item	Description	W	K	Bulb Shape	Base	Finish	CCT	Lm	CRI	MOL (in.)	MOD (in.)	LIN (ft.)	Pack
7 Watt Replacement													
[illegible]	[illegible]	[illegible]	[illegible]	C7	E12	CL	2700K	80	80	2.10	0.44	150	24/72
Tubular-Corded													
[illegible]	[illegible]	[illegible]	[illegible]	T6	E17	CL	3000K	300	90	3.48	1.00	150	[illegible]
BT15													
40 Watt Replacement													
S21330	[illegible]	4	120	BT15	E26	CL	2700K	400	90	4.26	1.80	194	24/6
S21331	[illegible]	4	120	BT15	E26	CL	4000K	400	90	4.26	1.80	194	24/6
S21332	[illegible]	4	120	BT15	E26	FRT	2700K	400	90	4.26	1.80	194	24/6
S21333	[illegible]	4	120	BT15	E26	SMK	4000K	400	90	4.26	1.80	194	24/6
40 Watt Replacement-Corded													
S21334	[illegible]	4	120	BT15	E26	CL	2700K	400	90	4.26	1.80	194	24/72
S21335	[illegible]	4	120	BT15	E26	SMK	2700K	400	90	4.26	1.80	194	24/72
60 Watt Replacement													
S21334	[illegible]	8	120	BT15	E26	CL	2700K	800	90	4.26	1.80	194	24/6
S21335	[illegible]	8	120	BT15	E26	CL	4000K	800	90	4.26	1.80	194	24/6
S21336	[illegible]	8	120	BT15	E26	CL	3000K	800	90	4.26	1.80	194	24/6
S21337	[illegible]	8	120	BT15	E26	FRT	2700K	800	90	4.26	1.80	194	24/6
S21338	[illegible]	8	120	BT15	E26	SMK	4000K	800	90	4.26	1.80	194	24/6
S21339	[illegible]	8	120	BT15	E26	SMK	3000K	800	90	4.26	1.80	194	24/6
60 Watt Replacement-Corded													
S21856	[illegible]	8	120	BT15	E26	CL	2700K	800	90	4.26	1.80	194	24/72
S21857	[illegible]	8	120	BT15	E26	SMK	2700K	800	90	4.26	1.80	194	24/72

*See warranty for details at www.satco.com **Non-Dimmable. †cULus listed. Product shot S4329

LED FILAMENT SPECIALTY LAMPS TUBULAR



T6.5 E12



T6.5 E17

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures*
- c-ETL-us listed
- CEC T20
- 3 year warranty

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	H(in.) D(in.)	H(cm) D(cm)	Life (hrs.)	Pack
Tubular													
T6 – 25 Watt Replacement													
[illegible]	[illegible]	2.8	120	T6	E12	CL	2700K	200	80	2.5	6.35	15K	24/CS
[illegible]	[illegible]	2.8	120	T6	E12	CL	3000K	200	80	2.5	6.35	15K	24/CS
[illegible]	[illegible]	2.8	120	T6	E12	CL	4000K	200	80	2.5	6.35	15K	24/CS
[illegible]	[illegible]	2.8	120	T6	E12	CL	5000K	200	80	2.5	6.35	15K	24/CS
T6 – 40 Watt Replacement													
[illegible]	[illegible]	4	120	T6	E12	CL	2700K	400	80	3.63	9.91	15K	24/CS
[illegible]	[illegible]	4	120	T6	E12	CL	3000K	400	80	3.63	9.91	15K	24/CS
[illegible]	[illegible]	4	120	T6	E12	CL	4000K	400	80	3.63	9.91	15K	24/CS
T6 – 25 Watt Replacement-Candle													
[illegible]	[illegible]	2.8	120	T6	E12	CL	2700K	200	80	5.47	13.89	15K	24/CS
T6.5 – 25 Watt Replacement													
[illegible]	[illegible]	3	120	T6.5	E17	CL	2700K	200	80	2.7	6.91	15K	24/CS
[illegible]	[illegible]	3	120	T6.5	E17	CL	3000K	200	80	2.7	6.91	15K	24/CS
[illegible]	[illegible]	3	120	T6.5	E17	CL	4000K	200	80	2.7	6.91	15K	24/CS
[illegible]	[illegible]	3	120	T6.5	E17	CL	5000K	200	80	2.7	6.91	15K	24/CS
T6.5 – 40 Watt Replacement													
[illegible]	[illegible]	4	120	T6.5	E17	CL	2700K	400	80	3.04	7.75	15K	24/CS
[illegible]	[illegible]	4	120	T6.5	E17	CL	3000K	400	80	3.04	7.75	15K	24/CS
[illegible]	[illegible]	4	120	T6.5	E17	CL	4000K	400	80	3.04	7.75	15K	24/CS
[illegible]	[illegible]	4	120	T6.5	E17	CL	5000K	400	80	3.04	7.75	15K	24/CS
[illegible]	[illegible]	4	120	T6.5	E17	SW/CL	2700K	400	80	3.04	7.75	15K	24/CS
[illegible]	[illegible]	4	120	T6.5	E17	SW/CL	4000K	400	80	3.04	7.75	15K	24/CS
[illegible]	[illegible]	4	120	T6.5	E17	FR	2700K	400	90	3.04	7.75	15K	24/CS
[illegible]	[illegible]	4	120	T6.5	E17	FR	4000K	400	90	3.04	7.75	15K	24/CS
T6.5 – 40 Watt Replacement-Carbon													
[illegible]	[illegible]	4	120	T6.5	E17	CL	2000K	400	95	3.04	7.75	15K	24/CS
[illegible]	[illegible]	4	120	T6.5	E17	CL	1800K	400	95	3.04	7.75	15K	24/CS
T9 – 40 Watt Replacement													
[illegible]	[illegible]	4	120	T9	E12	CL	2700K	400	90	5.27	11.5	15K	24/CS
[illegible]	[illegible]	4	120	T9	E12	CL	3000K	400	90	5.27	11.5	15K	24/CS
[illegible]	[illegible]	4	120	T9	E12	CL	4000K	400	90	5.27	11.5	15K	24/CS
[illegible]	[illegible]	4	120	T9	E12	CL	5000K	400	90	5.27	11.5	15K	24/CS

* See warranty for details at www.satco.com

Product Shell SA2018

© Satco Products Inc. All rights reserved.

LED FILAMENT
SPECIALTY LAMPS TUBULAR

T30 E26



T10 E26

Features

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures*
- c-ETL-us or cULus listed
- 3 year warranty

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lumen	CRI	WDL (in.)	WDD (in.)	Life (hrs.)	Pack
T10 - 40 Watt Replacement													
S21944		4.5	120	T10	E26	CL	2700K	400	90	1	1.25	15K	36/6
S21945		4.5	120	T10	E26	CL	3500K	400	90	1	1.25	15K	36/6
S21514		4.5	120	T10	E26	CL	4100K	400	90	1	1.25	15K	36/6
S21946		4.5	120	T10	E26	CL	4000K	400	90	1	1.25	15K	36/6
S21947		4.5	120	T10	E26	CL	5000K	400	90	1	1.25	15K	36/6
S21948		4.5	120	T10	E26	FR	3500K	400	90	1	1.25	15K	36/6
S21949FF		4.5	120	T10	E26	FR	4000K	400	90	1	1.25	15K	36/6
T10 - 40 Watt Replacement-Candle													
S21962		4.5	120	T10	E26	CL	2700K	400	90	1	1.25	15K	24/12
S21963		4.5	120	T10	E26	CL	3500K	400	90	1	1.25	15K	24/12
S21964		4.5	120	T10	E26	FR	3500K	400	90	1	1.25	15K	24/12
T10 - 60 Watt Replacement													
S21930		6	120	T10	E26	CL	2700K	800	90	1	1.25	15K	36/6
S21931		6	120	T10	E26	CL	3500K	800	90	1	1.25	15K	36/6
S21935		6	120	T10	E26	CL	4100K	800	90	1	1.25	15K	36/6
S21936		6	120	T10	E26	CL	4000K	800	90	1	1.25	15K	36/6
S21937		6	120	T10	E26	CL	5000K	800	90	1	1.25	15K	36/6
S21933FF		6	120	T10	E26	FR	3500K	800	90	1	1.25	15K	36/6
S21933FFF		6	120	T10	E26	FR	4000K	800	90	1	1.25	15K	36/6
T10 - 60 Watt Replacement-Candle													
S21965		6	120	T10	E26	CL	3500K	800	90	1	1.25	15K	36/6
S21966		6	120	T10	E26	FR	3500K	800	90	1	1.25	15K	36/6

*See warranty for details at www.satco.com

Product sheet S21330

LED FILAMENT
SPECIALTY LAMPS TUBULAR

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Wet location
- Approved for totally enclosed fixtures*
- c-ETL-us listed
- CEC T20
- 3 year warranty

T14 E26

ST19 E26



T9 E26

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lumen	CRI	MOL (in.)	MOB (in.)	Life (hrs.)	Pack
T9 - 40 Watt Replacement													
S21834		4	120	T9	E26	CL	2700K	500	90	7.5	1.18	15K	24/6
S21835		4	120	T9	E26	CL	3000K	500	90	7.5	1.18	15K	24/6
S21836		4	120	T9	E26	CL	4100K	500	90	7.5	1.18	15K	24/6
S21837		4	120	T9	E26	CL	5000K	500	90	7.5	1.18	15K	24/6
T9 - 60 Watt Replacement													
S21838		6	120	T9	E26	CL	2700K	800	90	7.5	1.18	15K	24/6
S21839		6	120	T9	E26	CL	3000K	800	90	7.5	1.18	15K	24/6
S21840		6	120	T9	E26	CL	4000K	800	90	7.5	1.18	15K	24/6
S21841		6	120	T9	E26	CL	5000K	800	90	7.5	1.18	15K	24/6
S21836MI		4	120	T9	E26	FR	2700K	500	90	7.1	1.18	15K	24/6
S21837MI		4	120	T9	E26	FR	3000K	500	90	7.1	1.18	15K	24/6
S21834		4	120	T9	E26	CL	2700K	800	90	12	1.18	15K	24/6
S21835		4	120	T9	E26	CL	3000K	800	90	12	1.18	15K	24/6
T9 - 60 Watt Replacement-Carded													
S21837		4	120	T9	E26	CL	2700K	800	90	7.5	1.18	15K	24/12
S21838		4	120	T9	E26	FR	2700K	500	90	7.5	1.18	15K	24/12
T14 - 40 Watt Replacement													
S21777		3.5	120	T14	E26	CL	2700K	500	90	4.05	1.77	15K	24/12
S21778		3.5	120	T14	E26	CL	2700K	500	90	4.05	1.77	15K	24/12
S21779		3.5	120	T14	E26	CL	3000K	500	90	4.05	1.77	15K	24/6
ST19 - 40 Watt													
S21780		5	120	ST19	E26	CL	2700K	450	90	5.45	2.28	15K	24/6
S21781		5	120	ST19	E26	CL	3000K	450	90	5.45	2.28	15K	24/6
S21782		5	120	ST19	E26	CL	4100K	450	90	5.45	2.28	15K	24/6
S21783		5	120	ST19	E26	CL	5000K	450	90	5.45	2.28	15K	24/6
ST19 - 40 Watt Replacement-Carded													
S21809		5	120	ST19	E26	CL	2700K	450	90	5.45	2.28	15K	24/12
ST19 - 60 Watt													
S21785		6	120	ST19	E26	CL	2700K	800	90	5.45	2.28	15K	24/6
S21786		6	120	ST19	E26	CL	3000K	800	90	5.45	2.28	15K	24/6
S21787		6	120	ST19	E26	CL	4100K	800	90	5.45	2.28	15K	24/6
S21788		6	120	ST19	E26	CL	5000K	800	90	5.45	2.28	15K	24/6
ST19 - 60 Watt Replacement-Carded													
S21810		6	120	ST19	E26	CL	2700K	800	90	5.45	2.28	15K	24/12

* See warranty for details at www.satco.com

Product sheet 04/2020

© Satco Products, Inc. All rights reserved.

S14 LED STRING LIGHT LAMPS

Features

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Available in 6 color options
- Approved for totally enclosed fixtures*
- Wet location
- c-UL-us listed
- 3 year warranty

S14 LED STRING LIGHT LAMPS

S80021



S80022

S80023

S80024



S80025



S80026



Beam Angle: 320°

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	MSL (IN)	MOD (IN)	LPA (IN)	UPC	Pack
LED String Light Replacement Lamps:														
S80021		1	120	S14	E26	CL	2700K	90	80	3.63	1.81	0.91	045925080216	25/4
S80022		1	120	S14	E26	RED	N/A	30	N/A	3.63	1.81	0.91	045925080223	25/4
S80023		1	120	S14	E26	BLUE	N/A	5	N/A	3.63	1.81	0.91	045925080230	25/4
S80024		1	120	S14	E26	GRN	N/A	20	N/A	3.63	1.81	0.91	045925080247	25/4
S80025		1	120	S14	E26	YLW	N/A	60	N/A	3.63	1.81	0.91	045925080254	25/4
S80026		1	120	S14	E26	ORNG	N/A	30	N/A	3.63	1.81	0.91	045925080261	25/4
S80027W		1	120	G16	E26	CL	2200K	100	80	3.63	1.81	0.91	045925080278	25/4

*See warranty for details at www.satco.com

Product sheet 04/22/22

© Satco Products, Inc. All rights reserved.

AMBER LED FILAMENT LAMPS

Features:

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp and wet location Approved for totally enclosed fixtures*
- c-ETL-us or cULus listed
- 3 year warranty



Beam Angle: 360°

AMBER LED FILAMENT LAMPS

A19

ST19

G25

G30

G40


T9

G6.5

CA10

C9

T6

Item	Description	W	V	Bulb finish	Base	Finish	CCT	Lm	CRI	MSL (in.)	MOC (in.)	Life (hrs.)	UPC	Pack
ST19														
S11559		3.5	120	ST19	E26	CL Amber	1800K	400	90	5.00	5.24	15K		24/6
S11607		3.5	120	ST19	E26	CL Amber	2200K	800	90	5.00	5.24	15K		24/6
S11608		4	120	ST19	E26	CL Amber	1800K	800	90	5.00	5.24	15K		24/6
G25.5														
S11609		3.5	120	G25.5	E26	CL Amber	2200K	800	90	5.00	5.24	15K		24/6
G25														
S11610		3.5	120	G25	E26	CL Amber	1800K	800	90	4.75	5.00	15K		24/6
S11611		3.5	120	G25	E26	CL Amber	2200K	800	90	4.75	5.00	15K		24/6
G30														
S11612		3.5	120	G30	E26	CL Amber	1800K	800	90	5.25	5.74	15K		24/6
S11613		3.5	120	G30	E26	CL Amber	2200K	800	90	5.25	5.74	15K		24/6
G40														
S11614		3.5	120	G40	E26	CL Amber	1800K	800	90	6.38	6.88	15K		24/6
S11615		3.5	120	G40	E26	CL Amber	2200K	800	90	6.38	6.88	15K		24/6
T9														
S11616		3.5	120	T9	E26	CL Amber	1800K	800	90	6.8	7.87	15K		24/6
S11617		3.5	120	T9	E26	CL Amber	2200K	800	90	6.8	7.87	15K		24/6
T9														
S11618		3.5	120	T9	E26	CL Amber	1800K	800	90	7.88	9.8	15K		24/6
S11619		3.5	120	T9	E26	CL Amber	2200K	800	90	7.88	9.8	15K		24/6
C9														
S11620		3.5	120	C9	E12	CL Amber	1800K	800	90	5.63	7.88	15K		24/6
S11621		3.5	120	C9	E12	CL Amber	2200K	800	90	5.63	7.88	15K		24/6
S11622		3.5	120	C9	E12	CL Amber	1800K	800	90	5.63	7.88	15K		24/6
S11623		3.5	120	C9	E12	CL Amber	2200K	800	90	5.63	7.88	15K		24/6
CA11														
S11624		3.5	120	CA11	E12	CL Amber	1800K	800	90	4.81	7.88	15K		24/6
S11625		3.5	120	CA11	E12	CL Amber	2200K	800	90	4.81	7.88	15K		24/6
S11626		3.5	120	CA11	E26	CL Amber	2200K	800	90	4.88	7.88	15K		24/6
S11627		3.5	120	CA11	E26	CL Amber	2200K	800	90	4.81	7.88	15K		24/6
A19														
S11628		3.5	120	A19	E26	CL Amber	1800K	800	90	6.25	9.25	15K		24/6
S11629		3.5	120	A19	E26	CL Amber	2200K	800	90	6.25	9.25	15K		24/6
S11630		4	120	A19	E26	CL Amber	1800K	800	90	6.25	9.25	15K		24/6

© Satco Products Inc. All rights reserved.

DECORATIVE SPIRAL LED FILAMENT LAMPS

Features

- LED with a traditional incandescent look and feel
- Omni-directional light source
- Dimmable
- Damp location
- Approved for totally enclosed fixtures*
- c-UL-us listed
- 3 year warranty

DECORATIVE SPIRAL LED FILAMENT LAMPS



Beam Angle: 360°

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	CRI	MSB	MCD	Life	UPC	Pack
ST19													
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
A19													
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
G30													
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
G40													
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
T9													
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
B10													
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]

© Satco Products, Inc. All rights reserved.

LED SPIRAL FILAMENT VINTAGE-STYLE LAMPS IN HID ENVELOPES

Features:

- Uses only 4 watts
- Impressive size & presence
- Omni-directional light source
- Perfect for pendant fixtures & hanging sockets
- Approved for totally enclosed fixtures*
- Dimmable
- Shapes: T24, BT38, BT56 & PS52
- E26 base
- 3 year warranty



LED SPIRAL FILAMENT VINTAGE-STYLE LAMPS IN HID ENVELOPES

S23431
BT38

S23430
T24

S23433
PS52

S23432
BT56



Beam Angle: 320°

Item	Description	W	V	Bulb Shape	Base	Finish	CCT	Lm	CRI	RCL (in.)	HOD (in.)	L/H (in.)	UPC	Pack
S23430	[illegible]	4	120	T24	E26	CL	2200K	200	80	[illegible]	[illegible]	24	[illegible]	12
S23431	[illegible]	4	120	BT38	E26	CL	2200K	200	80	[illegible]	[illegible]	24	[illegible]	12
S23432	[illegible]	4	120	BT56	E26	CL	2200K	200	80	[illegible]	[illegible]	24	[illegible]	6
S23433	[illegible]	4	120	PS52	E26	CL	2200K	200	80	[illegible]	[illegible]	24	[illegible]	6

© Satco Products Inc. All rights reserved.

NOTES

To learn more about SATCO|NUVO, visit www.satco.com or contact 1-800-437-2826

Like us on Facebook | Connect with us on LinkedIn | Follow us on Instagram

National Toll-Free: 1.800.42.SATCO | 1.800.427.2826

Corporate Offices & Distribution Center:

Distribution Centers:

NEW YORK [illegible]

FLORIDA [illegible]

CALIFORNIA [illegible]

WASHINGTON [illegible]

TEXAS [illegible]

PUERTO RICO [illegible]

Product specifications and availability are subject to change without notice.
Please visit us online at www.satco.com for our full product line and ordering details, or contact factory for additional information.

© SATCO Products, Inc. All rights reserved.

9/26 3NB02

SATCO | NUVO