SATCO® | NUVO®

NEW!
SATCO GEN2 LED PAR LAMPS

A familiar face - enhanced! Better light, improved efficiency & lasting performance.



- OVER 60 NEW PRODUCTS
- 90 CRI • SUPERIOR LIGHT
- INDOOR/OUTDOOR
- DIMMABLE
- 25˚, 40˚ AND 60˚ BEAM ANGLES
- 2700K, 3000K, 3500K, 4000K AND 5000K

With a traditional lens and silver reflector style, SATCO LED PAR lamps maintain the familiar look of the Halogen PAR and Gen1 LED lamps they replace; but at 90 CRI and a higher lumens per watt ratio, they deliver superior light and improved efficiency.

Designed for use in track, recessed fixtures and wet locations including outdoor and landscape applications, this popular family has over 60 options available for your replacement lamp upgrades or new installations!



SATCO **LED LAMPS**

SATCO.COM | 800-437-2826

© Satco Products, Inc.
All rights reserved 6/25 SA2723

PRODUCT INFORMATION
GEN2 LED PAR LAMPS

Features

- Silver colored reflector
- Traditional lens
- Wet location
- Dimmable
- 25˚, 40˚ and 60˚ Beam angles
- 2700K, 3000k, 3500k, 4000K and 5000k
- 90 CRI

Applications



Dimensions







PAR20

DIMMABLE · 90 CRI · WET LOCATION · ENCLOSED FIXTURE · T20 COMPLIANT · *T24 COMPLIANT · c UL us LISTED · RoHS COMPLIANT · FC

ITEM #	DESCRIPTION	W	VOLTS	CRI	CCT	COLOR TEMP	LM	BM	M.O.L (IN.)	LIFE/ HRS.	UPC	PACK/ MSTR.
PAR20 6.5W LED – 50W Replacement												
S29400*	6.5PAR20/LED/25'/927/120V	6.5	120V	90	2700K	Warm White	520	25°	3	25K	045923294006	6/24
S29401*	6.5PAR20/LED/25'/930/120V	6.5	120V	90	3000K	Soft White	520	25°	3	25K	045923294013	6/24
S29402*	6.5PAR20/LED/25'/935/120V	6.5	120V	90	3500K	Neutral White	520	25°	3	25K	045923294020	6/24
S29403*	6.5PAR20/LED/25'/940/120V	6.5	120V	90	4000K	Cool White	520	25°	3	25K	045923294037	6/24
S29404	6.5PAR20/LED/25'/950/120V	6.5	120V	90	5000K	Natural Light	520	25°	3	25K	045923294044	6/24
S29405*	6.5PAR20/LED/40'/927/120V	6.5	120V	90	2700K	Warm White	520	40°	3	25K	045923294051	6/24
S29406*	6.5PAR20/LED/40'/930/120V	6.5	120V	90	3000K	Soft White	520	40°	3	25K	045923294068	6/24
S29407*	6.5PAR20/LED/40'/935/120V	6.5	120V	90	3500K	Neutral White	520	40°	3	25K	045923294075	6/24
S29408*	6.5PAR20/LED/40'/940/120V	6.5	120V	90	4000K	Cool White	520	40°	3	25K	045923294082	6/24
S29409	6.5PAR20/LED/40'/950/120V	6.5	120V	90	5000K	Natural Light	520	40°	3	25K	045923294099	6/24

© Satco Products, Inc.
All rights reserved 6/25 SA2723

SATCO | NUVO

SATCO GEN2 LED PAR30 LAMPS

PAR30/SN



Illumination



Beam Angle: 25°
S29410-S29414

Illumination



Beam Angle: 40°
S29415-S29419

Illumination



Beam Angle: 60°
S29420-S29424

PAR30/LN



Illumination



Beam Angle: 25°
S29425-S29429

Illumination



Beam Angle: 40°
S29430-S29434

Illumination



Beam Angle: 60°
S29435-S29439

DIMMABLE · 90 CRI · WET LOCATION · ENCLOSED FIXTURE · T20 COMPLIANT · * T24 COMPLIANT · c UL us LISTED · RoHS COMPLIANT · FC

ITEM #	DESCRIPTION	W	VOLTS	CRI	CCT	COLOR TEMP	LM	BM	M.O.L (IN.)	LIFE/ HRS.	UPC	PACK/ MSTR.
PAR30 Short Neck 12.5W LED – 75W Replacement												
S29410*	12.5PAR30/SN/LED/25'/927/120V	12.5	120V	90	2700K	Warm White	1000	25°	3 3/16	25K	045923294105	6/12
S29411*	12.5PAR30/SN/LED/25'/930/120V	12.5	120V	90	3000K	Soft White	1000	25°	3 3/16	25K	045923294112	6/12
S29412*	12.5PAR30/SN/LED/25'/935/120V	12.5	120V	90	3500K	Neutral White	1000	25°	3 3/16	25K	045923294129	6/12
S29413*	12.5PAR30/SN/LED/25'/940/120V	12.5	120V	90	4000K	Cool White	1000	25°	3 3/16	25K	045923294136	6/12
S29414	12.5PAR30/SN/LED/25'/950/120V	12.5	120V	90	5000K	Natural Light	1000	25°	3 3/16	25K	045923294143	6/12
S29415*	12.5PAR30/SN/LED/40'/927/120V	12.5	120V	90	2700K	Warm White	1000	40°	3 3/16	25K	045923294150	6/12
S29416*	12.5PAR30/SN/LED/40'/930/120V	12.5	120V	90	3000K	Soft White	1000	40°	3 3/16	25K	045923294167	6/12
S29417*	12.5PAR30/SN/LED/40'/935/120V	12.5	120V	90	3500K	Neutral White	1000	40°	3 3/16	25K	045923294174	6/12
S29418*	12.5PAR30/SN/LED/40'/940/120V	12.5	120V	90	4000K	Cool White	1000	40°	3 3/16	25K	045923294181	6/12
S29419	12.5PAR30/SN/LED/40'/950/120V	12.5	120V	90	5000K	Natural Light	1000	40°	3 3/16	25K	045923294198	6/12
S29420*	12.5PAR30/SN/LED/60'/927/120V	12.5	120V	90	2700K	Warm White	1000	60°	3 3/16	25K	045923294204	6/12
S29421*	12.5PAR30/SN/LED/60'/930/120V	12.5	120V	90	3000K	Soft White	1000	60°	3 3/16	25K	045923294211	6/12
S29422*	12.5PAR30/SN/LED/60'/935/120V	12.5	120V	90	3500K	Neutral White	1000	60°	3 3/16	25K	045923294228	6/12
S29423*	12.5PAR30/SN/LED/60'/940/120V	12.5	120V	90	4000K	Cool White	1000	60°	3 3/16	25K	045923294235	6/12
S29424	12.5PAR30/SN/LED/60'/950/120V	12.5	120V	90	5000K	Natural Light	1000	60°	3 3/16	25K	045923294242	6/12
PAR30 Long Neck 12.5W LED – 75W Replacement												
S29425*	12.5PAR30/LN/LED/25'/927/120V	12.5	120V	90	2700K	Warm White	1000	25°	4 3/16	25K	045923294259	6/12
S29426*	12.5PAR30/LN/LED/25'/930/120V	12.5	120V	90	3000K	Soft White	1000	25°	4 3/16	25K	045923294266	6/12
S29427*	12.5PAR30/LN/LED/25'/935/120V	12.5	120V	90	3500K	Neutral White	1000	25°	4 3/16	25K	045923294273	6/12
S29428*	12.5PAR30/LN/LED/25'/940/120V	12.5	120V	90	4000K	Cool White	1000	25°	4 3/16	25K	045923294280	6/12
S29429	12.5PAR30/LN/LED/25'/950/120V	12.5	120V	90	5000K	Natural Light	1000	25°	4 3/16	25K	045923294297	6/12
S29430*	12.5PAR30/LN/LED/40'/927/120V	12.5	120V	90	2700K	Warm White	1000	40°	4 3/16	25K	045923294303	6/12
S29431*	12.5PAR30/LN/LED/40'/930/120V	12.5	120V	90	3000K	Soft White	1000	40°	4 3/16	25K	045923294310	6/12
S29432*	12.5PAR30/LN/LED/40'/935/120V	12.5	120V	90	3500K	Neutral White	1000	40°	4 3/16	25K	045923294327	6/12
S29433*	12.5PAR30/LN/LED/40'/940/120V	12.5	120V	90	4000K	Cool White	1000	40°	4 3/16	25K	045923294334	6/12
S29434	12.5PAR30/LN/LED/40'/950/120V	12.5	120V	90	5000K	Natural Light	1000	40°	4 3/16	25K	045923294341	6/12
S29435*	12.5PAR30/LN/LED/60'/927/120V	12.5	120V	90	2700K	Warm White	1000	60°	4 3/16	25K	045923294358	6/12
S29436*	12.5PAR30/LN/LED/60'/930/120V	12.5	120V	90	3000K	Soft White	1000	60°	4 3/16	25K	045923294365	6/12
S29437*	12.5PAR30/LN/LED/60'/935/120V	12.5	120V	90	3500K	Neutral White	1000	60°	4 3/16	25K	045923294372	6/12
S29438*	12.5PAR30/LN/LED/60'/940/120V	12.5	120V	90	4000K	Cool White	1000	60°	4 3/16	25K	045923294389	6/12
S29439	12.5PAR30/LN/LED/60'/950/120V	12.5	120V	90	5000K	Natural Light	1000	60°	4 3/16	25K	045923294396	6/12

© Satco Products, Inc.
All rights reserved 6/25 SA2723

SATCO | NUVO

SATCO GEN2 LED PAR38 LAMPS



PAR38



Beam Angle: 25°
S29440-S29444



Beam Angle: 40°
S29445-S29449
S29455-S29456



Beam Angle: 60°
S29450-S29454

DIMMABLE | 90 CRI | WET LOCATION | ENCLOSED FIXTURE | T20 COMPLIANT | *T24 COMPLIANT | c UL us LISTED | RoHS COMPLIANT | FC

ITEM #	DESCRIPTION	W	VOLTS	CRI	CCT	COLOR TEMP	LM	BM	M.O.L (IN.)	LIFE/ HRS.	UPC	PACK/ MSTR.
PAR38 15W LED – 90W Replacement												
S29440*	15PAR38/LED/25'/927/120V	15	120V	90	2700K	Warm White	1200	25°	5 3/16	25K	045923294402	6/12
S29441*	15PAR38/LED/25'/930/120V	15	120V	90	3000K	Soft White	1200	25°	5 3/16	25K	045923294419	6/12
S29442*	15PAR38/LED/25'/935/120V	15	120V	90	3500K	Neutral White	1200	25°	5 3/16	25K	045923294426	6/12
S29443*	15PAR38/LED/25'/940/120V	15	120V	90	4000K	Cool White	1200	25°	5 3/16	25K	045923294433	6/12
S29444	15PAR38/LED/25'/950/120V	15	120V	90	5000K	Natural Light	1200	25°	5 3/16	25K	045923294440	6/12
S29445*	15PAR38/LED/40'/927/120V	15	120V	90	2700K	Warm White	1200	40°	5 3/16	25K	045923294457	6/12
S29446*	15PAR38/LED/40'/930/120V	15	120V	90	3000K	Soft White	1200	40°	5 3/16	25K	045923294464	6/12
S29447*	15PAR38/LED/40'/935/120V	15	120V	90	3500K	Neutral White	1200	40°	5 3/16	25K	045923294471	6/12
S29448*	15PAR38/LED/40'/940/120V	15	120V	90	4000K	Cool White	1200	40°	5 3/16	25K	045923294488	6/12
S29449	15PAR38/LED/40'/950/120V	15	120V	90	5000K	Natural Light	1200	40°	5 3/16	25K	045923294495	6/12
S29450*	15PAR38/LED/60'/927/120V	15	120V	90	2700K	Warm White	1200	60°	5 3/16	25K	045923294501	6/12
S29451*	15PAR38/LED/60'/930/120V	15	120V	90	3000K	Soft White	1200	60°	5 3/16	25K	045923294518	6/12
S29452*	15PAR38/LED/60'/935/120V	15	120V	90	3500K	Neutral White	1200	60°	5 3/16	25K	045923294525	6/12
S29453*	15PAR38/LED/60'/940/120V	15	120V	90	4000K	Cool White	1200	60°	5 3/16	25K	045923294532	6/12
S29454	15PAR38/LED/60'/950/120V	15	120V	90	5000K	Natural Light	1200	60°	5 3/16	25K	045923294549	6/12
PAR38 15W LED 2 Pack – Non-Dimmable – 90W Replacement												
S29457	15PAR38/LED/60'/930/120V/ ND/2PK	15	120V	90	3000K	Soft White	1200	60°	5 3/16	25K	045923294570	2/8
PAR38 17.5W LED – 120W Replacement												
S29455*	17.5PAR38/LED/40'/930/120V	17.5	120V	90	3000K	Cool White	1400	40°	5 3/16	25K	045923294556	6/12
S29456*	17.5PAR38/LED/40'/940/120V	17.5	120V	90	4000K	Neutral White	1400	40°	5 3/16	25K	045923294563	6/12

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F.631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH,TX 75234
T. 972-247-2437
F.972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F.305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F.510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F.425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F.787-757-3540

Products inventoried in Canada & Mexico, contact: internationalsales@satco.com / 631-243-2022 Ext. 315

© Satco Products, Inc.
All rights reserved 6/25 SA2723