SATCO® | NUVO®

# NEW!
## LED HID REPLACEMENT LAMPS

# OUR BEST VALUE LED REPLACEMENT SOLUTION FOR TRADITIONAL HID LAMPS



- HIGH LUMEN PER WATT RATIO
- SUPERIOR LED LIGHT OUTPUT
- ENCLOSED FIXTURE RATED
- ADVANCED THERMAL MANAGEMENT
- DAMP LOCATION

This generation of our popular Hi-Pro commercial LED lamps delivers up to 80% in energy savings, superior LED light and the best value in the industry today. The high lumen capability built into each lamp, and many wattages to choose from, mean more solutions for more venues. Designed to deliver clean, efficient LED light at 300° from higher fixtures, this lamp is perfect for gymnasiums, factory floors, health clubs, warehouses and any venue where high ceilings require high lumen, low maintenance, and energy efficient light output.

SATCO **LED LAMPS**

**SATCO.COM | 800-437-2826**


© Satco Products, Inc.
All rights reserved 1/22 SA2860

# ADVANCED FEATURES AND EFFICIENT LED TECHNOLOGY MAKE THIS THE LAMP ONE OF THE BEST VALUES IN THE INDUSTRY TODAY.


- High Lumen per watt ratio
- Superior LED light output
- Enclosed fixture rated
- Advanced thermal management
- Damp location
- 35,000 hours










S49670, S49390
18W / E26




S49671, S49391
22W / E26




S49672, S49392
36W / E26





S49738, S49739
45W / E26




© Satco Products, Inc.
All rights reserved 1/22 SA2860

SATCO® | NUVO®


# LED HID REPLACEMENT LAMPS





S49673, S49393
45W / EX39





S49674, S49394
54W / EX39




S49675, S49395
80W / EX39




S49676, S49396
100W / EX39




S49677, S49397
120W / EX39



© Satco Products, Inc.
All rights reserved 1/22 SA2860

SATCO® | NUVO®

# NEW!
## LED HID REPLACEMENT LAMPS

## HI-PRO LED LAMPS ARE PERFECT FOR MANY APPLICATIONS AND VENUES.

- High Lumen per watt ratio
- Superior LED light output
- Enclosed fixture rated
- Advanced thermal management
- Damp location



S49675

100-277V | 300° BEAM | DAMP LOCATION | c UL us LISTED | c CLASSIFIED UL us | FC | RoHS COMPLIANT

| Item | Description | W | V | Base Type | CCT | Lm | CRI | KV Surge Protection | Life/ Hrs. | M.O.L. (In.) | UPC | Pack |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| S49670 | 18W/LED/HP/827/E26 | 18 | 100-277 | E26 | 2700 | 2340 | 80 | 2KV | 35K | 5.45 | 045923496707 | 24 |
| S49390 | 18W/LED/HP/850/E26 | 18 | 100-277 | E26 | 5000 | 2484 | 80 | 2KV | 35K | 5.45 | 045923493904 | 24 |
| S49671 | 22W/LED/HP/827/E26 | 22 | 100-277 | E26 | 2700 | 2860 | 80 | 2KV | 35K | 5.71 | 045923496714 | 24 |
| S49391 | 22W/LED/HP/850/E26 | 22 | 100-277 | E26 | 5000 | 3036 | 80 | 2KV | 35K | 5.71 | 045923493911 | 24 |
| S49672 | 36W/LED/HP/827/E26 | 36 | 100-277 | E26 | 2700 | 4680 | 80 | 3KV | 35K | 7.16 | 045923496721 | 12 |
| S49392 | 36W/LED/HP/850/E26 | 36 | 100-277 | E26 | 5000 | 4968 | 80 | 3KV | 35K | 7.16 | 045923493928 | 12 |
| S49738 | 45W/LED/HP/840/E26 | 45 | 100-277 | E26 | 4000 | 6165 | 80 | 3KV | 35K | 7.78 | 045923497384 | 12 |
| S49739 | 45W/LED/HP/850/E26 | 45 | 100-277 | E26 | 5000 | 6210 | 80 | 3KV | 35K | 7.78 | 045923497391 | 12 |
| S49673 | 45W/LED/HP/840/EX39 | 45 | 100-277 | EX39 | 4000 | 6165 | 80 | 3KV | 35K | 8.06 | 045923496738 | 12 |
| S49393 | 45W/LED/HP/850/EX39 | 45 | 100-277 | EX39 | 5000 | 6210 | 80 | 3KV | 35K | 8.06 | 045923493935 | 12 |
| S49674 | 54W/LED/HP/840/EX39 | 54 | 100-277 | EX39 | 4000 | 7398 | 80 | 3KV | 35K | 8.78 | 045923496745 | 12 |
| S49394 | 54W/LED/HP/850/EX39 | 54 | 100-277 | EX39 | 5000 | 7452 | 80 | 3KV | 35K | 8.78 | 045923493942 | 12 |
| S49675 | 80W/LED/HP/840/EX39 | 80 | 100-277 | EX39 | 4000 | 10960 | 80 | 4KV | 35K | 8.69 | 045923496752 | 4 |
| S49395 | 80W/LED/HP/850/EX39 | 80 | 100-277 | EX39 | 5000 | 11040 | 80 | 4KV | 35K | 8.69 | 045923493959 | 4 |
| S49676 | 100W/LED/HP/840/EX39 | 100 | 100-277 | EX39 | 4000 | 13700 | 80 | 4KV | 35K | 9.67 | 045923496769 | 4 |
| S49396 | 100W/LED/HP/850/EX39 | 100 | 100-277 | EX39 | 5000 | 13800 | 80 | 4KV | 35K | 9.67 | 045923493966 | 4 |
| S49677 | 120W/LED/HP/840/EX39 | 120 | 100-277 | EX39 | 4000 | 16440 | 80 | 4KV | 35K | 10.26 | 045923496776 | 4 |
| S49397 | 120W/LED/HP/850/EX39 | 120 | 100-277 | EX39 | 5000 | 16560 | 80 | 4KV | 35K | 10.26 | 045923493973 | 4 |

## SATCO DISTRIBUTION CENTERS


**NEW YORK (HQ)**
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

**TEXAS**
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-5408

**FLORIDA**
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-623-0286

**CALIFORNIA**
31288 SAN BENITO ST
HAYWARD, CA 94544
T. 510-487-4822
F. 510-487-8955

**WASHINGTON**
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

**PUERTO RICO**
CAMPECHE STREET, 23
JULIO N. MATOS INDUSTRIAL PARK
CAROLINA, PR 00984
T. 787-757-3510
F. 787-757-3540

**Products inventoried in Canada & Mexico,** contact: internationalsales@satco.com / 631-243-2022 Ext. 315





© Satco Products, Inc.
All rights reserved 1/22 SA2860