



LFX/RDL/4S/9W/DIM/40K 4" SQUARE RETROFIT LED





LFX/RDL/4S/9W/DIM/40K 4" SQUARE RETROFIT LED



Sunlite LFX/RDL/4S/9W/DIM/40K 9 Watt LED Lamp Medium (E26) Base Clear White

Retrofit your space with our LED retrofit downlight kit. Developed utilizing the latest in LED technology, with a lifetime of 40,000 hours, it is sure to stand the test of time. Featuring a warm temperature of 3000 Kelvin, it gives your space a warm ambience with a homey feel. UL listed for damp locations, it can be installed indoors or outdoors and will stand against the elements.

- Simple install, comes with a Medium E26 adapter, fits in most 4 inch metal recessed Lighting cans
- Fully dimmable, UL listed 50,000 hours of traditional, energy efficient, warm light
- White Finish
- This lamp produces a spectacular cool white light at a 680 lumens, using only 9 watts of energy
- · Designed to replace incandescent lights

General Characteristics

Fixture Life Hours

Material

Cover

Bulb

Finish

50000 Hours

Plastic

White

LED

White

Base Medium (E26)

Lumens Per Watt (LPW) 70.00 Life (based on 3hr/day) 45.7

Estimated Energy Cost \$1.08 per Year
Safety Rating ETL Listed
Ingress Protection IP30
Energy Star True
Dimmable True

Fixture Characteristics

CollectionDownlights RetrofitShapeSquareNumber of Lights1 - LightMountingRecessedUse LocationIndoor

Electrical Characteristics

 Watts
 9

 Volts
 120

 Equivalent Watts
 60

 LED Chip Manufacturer
 SMD

 Number of LEDs
 24

 Power Factor
 0.9

 Operating Temperature
 -20°-40°

Light Characteristics

Brightness 630 Lumens
Color Accuracy (CRI) 80

Light Appearance Cool White
Color Temperature 4000K
Beam Angle 110°

Product Dimensions

 Size
 4"

 length (in)
 1.33

 Diameter (in)
 5.11

 Item Dimensions (in)
 (W) 5.00 (H) 2.50 (D) 5.00

 Package Dimensions (in)
 (W) 5.30 (H) 1.70 (D) 5.40

Product Data

Item Number 89124-SU

Case Quantity 6

 Barcode on SKU
 653703891248

 Barcode on Case
 10653703891245

 Brand
 SUNLITE



Item: 89124-SU

LFX/RDL/4S/9W/DIM/40K 4" SQUARE RETROFIT LED

Description

LFX/RDL/4S/9W/DIM/40K





