



TRANS GLOBE
L I G H T I N G

Job Name:

Job Type:



Fixture Location:

QTY:

Additional Notes:

LED Flat Panel

FP-1000



Available Sizes	47"
Wattage	30W, 40W, 46W Wattage Selectable
Lens Type	Frosted White UV Resistant Acrylic
Bulb Type	LED Integrated
Color Temp	3K, 4K, 5K CCT Selectable
Lumens (Int/Del)	7500Lm / 6000Lm
CRI	90
Available Finishes	WH
Voltage	120V
Dimmable	ELV & Triac (10-100%)
Materials	Steel
Operating Temp	-20° to 40°C / -4° to 104°F
Sloped Ceiling Adpt.	Yes
Illumination Direction	Down
Warranty	Fixture: 1 year Limited Warranty Finish: 6 Months in normal climatic conditons LED Module: Rated for 5 years / 50,000 hrs

Dimensions

	A	B	C
FP-1000	47.4" W	12" H	1.3" D

Certifications



Shipping Box	Width	Height	Depth	Ship Wt	Method	Oversize	Case QTY
Ship QTY: 1ea.					Ground	No	
UPC: by finish				Finish:			

Additional Images



Front View



Side View

Standard Accessories



Wire Nuts



Screws




Mounting Plate




Expansion Screws

Photometrics

FP-1000; 30W



FP-1000; 40W



FP-1000; 46W

