Selectable LED Football Full Cut-Off Wall Pack

WSD LED INC
Green Lighting Resources

Wattages: 28W, 42W, 56W, 70W

Selectable LED Football Full Cut-Off Wall Pack series can be widely used in indoor or outdoor lighting (wet location). Ideal for mechanical or electronic processing workshops, storage warehouses, steel mills, gas stations, toll booth, waiting rooms, the platforms of railway station, indoor stadiums.



FEATURES:

- Lumileds LED, high luminous efficiency and long working life.
- High efficiency LED Driver, the wide range input voltage AC120-277V.
- Excellent optics design, greatly improve the light utilization and evenness.
- Continuous Dimming, 10%-100%
- Photocell control available (standard)
  Installation height: Max 40 ft

Die-cast aluminum cooling design, high quality and better cooling for LED Tj < 85°C.




SPECIFICATION				
TYPE	WSD-BWP2842567W27-45K-D-P			
WATTAGE	28W	42W	56W	70W
LUMEN	4884 lm	6905 lm	8730 lm	10928 lm
EFFICACY	175 lm/W	168 lm/W	161 lm/W	155 lm/W
CCT	4000K, 5000K			
CRI	70			
INPUT VOLTAGE	AC120-277V			
POWER FACTOR	0.95			
DRIVER EFFICACY	90%			
DIMMING	0-10V Dimming			
LIGHT ANGLE	84.7°			
LIFE SPAN	≥50,000 hrs			
WORKING TEMPERATURE	-22°F ~ 113°F			
STORAGE TEMPERATURE	-40°F ~ 176°F			
OUTDOOR RATING	Wet location			
CABLE	Input Connect, 0.3 m			
FACTORY SETTINGS	70W & 4000K			
WARRANTY	5 year limited			

Selectable LED Football Full Cut-Off Wall Pack

WSD LED INC
Green Lighting Resources

Wattages: 28W, 42W, 56W, 70W

DIMENSION:



WATTAGE	28-70W
NT. WEIGHT	8 lbs
BOX DIM.	14.96" x 7.68" x 7.87"(1Pcs/CTN)

EMERGENCY BACK-UP: (SOLD SEPARATELY)



WSD-EMS8W27-XX
8W Emergency Backup Battery
LED Driver

WSD-EMS15W27-XX
15W Emergency Backup Battery
LED Driver

WSD-EMS20W27-XX
20W Emergency Backup Battery
LED Driver

CONTROL MODULE:







PHOTOCELL(Standard)

Selectable CCT
Three position sliding switch
4000K /5000K

Selectable Power
Three position sliding switch
28W / 42W / 56W / 70W

ORDERING INFORMATION

EXAMPLE:

WSD-BWP2842567W27-45K-Z[D,W,B,S]-P

WSD	BWP	2842567W	27	45K	D	P
COMPANY	PRODUCT	WATTAGE	VOLTAGE	CCT	FINISH	CONTROL
WSD LED INC	**BWP** Football Full Cut-Off Wall Pack	**28W -** (28W) **42W -** (42W) **56W -** (56W) **7 W -** (70W)	**27** (AC120-277V)	**4K -** (4000K) **5K -** (5000K)	**D** - (Dark Bronze) **W** - (White) **B** - (Black) **S** - (Silver)	**P -** (Photocell)

Selectable LED Football Full Cut-Off Wall Pack


WSD LED INC
Green Lighting Resources


Wattages: 28W, 42W, 56W, 70W


PHOTOMETRICS:


For complete IES files, please visit our website.

WSD-BWP2842567W27-45K (70W&4000K)









WSD-BWP2842567W27-45K (70W&5000K)

