LBS Lighting

WALL PACK LIGHT

45W



PRODUCT FEATURES:

- ❖ Optical design, greatly improved the light utilization and evenness
- ❖ High efficiency LED Driver, voltage AC120-277 ;
- ❖ Cast Aluminum design, better cooling, light quality, LED Tj < 85℃.
- ❖ Photocell Control (Optional)

MODEL #	
PROJECT:	
NOTES:	
DATE:	
PREPARED BY:	

Additional Information:


- Power: 45W
- Input: AC 120-277V
- Light Source: LUMILEDS
- Driver: WELED POWER



LUMILEDS The Brighter Choice | c UL us LISTED | DLC PREMIUM | 5 YEAR | FC | CE | RoHS | WET LOCATION

PRODUCT APPLICATIONS:

The WALL PACK LED Lighting Series can be widely used for Indoor or Outdoor (Wet Location) Excellent for Museums, Art Galleries, Shopping Malls, Office Buildings, Walls and many other applications



Structure Features:

- Shell Materials: Aluminum & PC
- Finish: Dark Bronze/White
- Net Weight: 1.4KG (3.1 LBS)
- **Product Size: 211mm*181mm*103mm**
- **Carton Size: 525mm*390mm*370mm**

LBS Lighting


WALL PACK LIGHT


45W


TECHNICAL PARAMETERS:

Type	WSD-45WAWP27-XXK-Z		
Power	45W	**Lighting Angle**	74∗92°
Input Voltage	AC120-277V	**LED Brightness Decay**	<5%/6000 hrs
PF	>0.98	**Working Life**	>75000 hrs
Driver Efficiency	>90%	**Working Temperature**	-30 - +45℃
Luminous Flux	6741 Lm	**Storage Temperature**	-40 -+80℃
Color Temperature	4000K/5000K	**Protection Level**	Wet Location
CRI	Ra>70	**Cable**	Input Connect, No Cable

PHOTOMETRY:







ORDERING EXAMPLE:WSD-45WAWP27-XXK-Z-P

WSD	45W	AWP	27	XXK	Z	P
Company	**Power**	**Product**	**Voltage**	**ColorTemp**	**FINISH**	**Control**
WSD LED INC	**45W**(45W) **70W**(70W)	**AWP** Wall Pack	**27** AC120-277V	**40K** (4000K) **50K** (5000K) **± 500K**	**D** Dark Bronze **W** White	**P** Photocell

LBS Lighting

WALL PACK LIGHT

70W



PRODUCT FEATURES:

- ❖ Optical design, greatly improved the light utilization and evenness
- ❖ High efficiency LED Driver, voltage AC120-277 ;
- ❖ Cast Aluminum design, better cooling, light quality, LED Tj < 85℃.
- ❖ Photocell Control (Optional)

MODEL #	
PROJECT:	
NOTES:	
DATE:	
PREPARED BY:	

Additional Information:


- Power: 70W
- Input: AC 120-277V
- Light Source: LUMILEDS
- Driver: NOVBO POWER



LUMILEDS The Brighter Choice | c UL us LISTED | DLC PREMIUM | 5 YEAR | FC | CE | RoHS | WET LOCATION

PRODUCT APPLICATIONS:

The WALL PACK LED Lighting Series can be widely used for Indoor or Outdoor (Wet Location) Excellent for Museums, Art Galleries, Shopping Malls, Office Buildings, Walls and many other applications



Structure Features:

- Shell Materials: Aluminum & PC
- Finish: Dark Bronze/White
- Net Weight: 1.5KG (3.3 LBS)
- **Product Size: 211mm*181mm*103mm**
- **Carton Size: 525mm*390mm*370mm**

LBS Lighting


WALL PACK LIGHT


70W


TECHNICAL PARAMETERS:

Type	WSD-70WAWP27-XXK-Z		
Power	70W	**Lighting Angle**	74∗92°
Input Voltage	AC120-277V	**LED Brightness Decay**	<5%/6000 hrs
PF	>0.99	**Working Life**	>75000 hrs
Driver Efficiency	>90%	**Working Temperature**	-30 - +45℃
Luminous Flux	9841 Lm	**Storage Temperature**	-40 -+80℃
Color Temperature	4000K/5000K	**Protection Level**	Wet Location
CRI	Ra>70	**Cable**	Input Connect, No Cable

PHOTOMETRY:







ORDERING EXAMPLE:WSD-70WAWP27-XXK-Z-P

WSD	70W	AWP	27	XXK	Z	P
Company	**Power**	**Product**	**Voltage**	**ColorTemp**	**FINISH**	**Control**
WSD LED INC	**45W**(45W) **70W**(70W)	**AWP** Wall Pack	**27** AC120-277V	**40K** (4000K) **50K** (5000K) **± 500K**	**D** Dark Bronze **W** White	**P** Photocell